

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)											
GA87-001	RC	1658214	20868948	5,928	385	35	-50	1987	Homestake	GC	25.0	30.0	5.0	0.115	0.160	0.117											
											65.0	70.0	5.0	0.009	0.140	0.011											
											95.0	105.0	10.0	0.010	0.205	0.013											
											125.0	130.0	5.0	0.010	0.205	0.021											
											140.0	220.0	80.0	0.021	0.256	0.024											
											235.0	320.0	85.0	0.044	0.308	0.048											
GA87-002	RC	1658333	20869128	5,932	305	35	-50	1987	Homestake	GC	355.0	370.0	15.0	0.012	0.607	0.020											
											40.0	110.0	70.0	0.011	664.000	0.020											
											135.0	240.0	105.0	0.019	0.239	0.022											
																	No Significant Intercepts										
											GA87-003	RC	1658274	20868290	5,931	305	35	-50	1987	Homestake		130.0	135.0	5.0	0.009	0.070	0.010
																						210.0	215.0	5.0	0.010	0.080	0.011
GA87-004	RC	1658007	20868662	5,916	305	35	-50	1987	Homestake	GC	130.0	135.0	5.0	0.009	0.070	0.010											
GA87-005	RC	1659691	20868800	5,977	305	215	-50	1987	Homestake	GC	25.0	35.0	10.0	0.016	0.145	0.018											
											50.0	90.0	40.0	0.014	0.113	0.016											
											140.0	145.0	5.0	0.027	0.070	0.028											
											175.0	180.0	5.0	0.013	0.000	0.013											
											225.0	235.0	10.0	0.015	0.260	0.019											
GA87-006	RC	1658855	20869018	5,948	305	215	-50	1987	Homestake	GC	25.0	30.0	5.0	0.011	0.070	0.012											
											60.0	90.0	30.0	0.008	0.248	0.013											
											115.0	290.0	175.0	0.017	0.486	0.024											
GA87-007	RC	1658632	20868384	5,953	305	35	-50	1987	Homestake		265.0	270.0	5.0	0.013	0.000	0.013											
GA87-008	RC	1658138	20868826	5,923	505	35	-45	1987	Homestake	GC	20.0	25.0	5.0	0.025	0.200	0.028											
											110.0	160.0	50.0	0.023	0.301	0.027											
											175.0	215.0	40.0	0.012	0.536	0.020											
											260.0	300.0	40.0	0.064	0.151	0.067											
											360.0	495.0	135.0	0.044	0.450	0.050											
GA87-009	RC	1659050	20868534	6,008	445	35	-50	1987	Homestake	GC	200.0	295.0	95.0	0.008	0.275	0.012											
											310.0	315.0	5.0	0.009	0.530	0.017											
											360.0	380.0	20.0	0.006	0.368	0.011											
GA87-010	RC	1659268	20868910	5,963	325	215	-50	1987	Homestake	GC	35.0	45.0	10.0	0.010	0.100	0.011											
											85.0	90.0	5.0	0.028	0.060	0.027											
											230.0	245.0	15.0	0.015	1.130	0.031											
											260.0	275.0	15.0	0.007	1.063	0.022											
GA87-011	RC	1658035	20869234	5,923	425	35	-50	1987	Homestake	GC	185.0	195.0	10.0	0.009	0.330	0.014											
GA87-012	RC	1658630	20868696	5,970	465	35	-50	1987	Homestake	GC	50.0	180.0	130.0	0.025	0.463	0.032											
											195.0	285.0	90.0	0.010	0.349	0.015											
											330.0	340.0	10.0	0.017	0.075	0.018											
											380.0	465.0	85.0	0.014	0.156	0.016											
GA87-013	RC	1658532	20867810	5,965	525	35	-50	1987	Homestake	GC	330.0	335.0	5.0	0.025	0.090	0.026											
											405.0	415.0	10.0	0.009	0.300	0.013											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA87-014	RC	1658890	20868048	5,988	505	215	-50	1987	Homestake		0.0	40.0	40.0	0.015	0.348	0.017
											160.0	195.0	35.0	0.010	0.153	0.012
											395.0	400.0	5.0	0.010	0.000	0.010
GA87-015	RC	1657774	20868830	5,912	505	0	-90	1987	Homestake		95.0	105.0	10.0	0.000	0.720	0.011
											195.0	205.0	10.0	0.000	0.800	0.012
GA87-016	RC	1657578	20868028	5,912	385	35	-50	1987	Homestake		No Significant Intercepts					
GA87-017	RC	1658253	20868820	5,924	485	35	-50	1987	Homestake	GC	55.0	115.0	60.0	0.007	0.673	0.017
											135.0	140.0	5.0	0.010	0.210	0.013
											170.0	190.0	20.0	0.014	0.260	0.018
											215.0	220.0	5.0	0.024	0.110	0.026
											255.0	260.0	5.0	0.008	0.190	0.011
											290.0	295.0	5.0	0.012	0.170	0.014
305.0	310.0	5.0	0.018	0.000	0.018											
355.0	425.0	70.0	0.078	0.625	0.087											
GA87-018	RC	1658512	20868536	5,949	720	35	-50	1987	Homestake	GC	40.0	55.0	15.0	0.038	0.053	0.039
											70.0	100.0	30.0	0.013	0.066	0.022
											135.0	140.0	5.0	0.009	0.130	0.011
											150.0	155.0	5.0	0.031	0.050	0.032
											165.0	170.0	5.0	0.024	0.079	0.025
											180.0	185.0	5.0	0.013	0.100	0.014
											335.0	340.0	5.0	0.013	0.000	0.013
											350.0	355.0	5.0	0.100	0.000	0.010
											475.0	480.0	5.0	0.024	0.910	0.037
575.0	695.0	120.0	0.015	0.401	0.021											
GA87-019	RC	1658361	20868726	5,936	600	35	-50	1987	Homestake	GC	40.0	45.0	5.0	0.010	0.070	0.011
											80.0	85.0	5.0	0.005	0.360	0.010
											115.0	130.0	15.0	0.012	0.303	0.017
											170.0	175.0	5.0	0.033	0.023	0.036
											210.0	215.0	5.0	0.013	0.060	0.014
											340.0	470.0	130.0	0.016	0.313	0.020
495.0	515.0	20.0	0.040	0.455	0.046											
GA87-020	RC	1658930	20869142	5,952	445	35	-50	1987	Homestake	GC	80.0	120.0	40.0	0.011	0.114	0.013
											135.0	145.0	10.0	0.013	0.005	0.013
											170.0	185.0	15.0	0.013	0.000	0.013
GA87-021	RC	1658468	20869340	5,939	495	35	-50	1987	Homestake	GC	280.0	285.0	5.0	0.014	0.010	0.014
GA88-022	RC	1658000	20868666	5,916	760	35	-50	1988	Homestake	GC	130.0	135.0	5.0	0.012	0.000	0.012
											565.0	570.0	5.0	0.018	0.020	0.018
											650.0	660.0	10.0	0.127	0.000	0.127
											745.0	760.0	15.0	0.090	1.120	0.106

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA88-023	RC	1658822	20868262	5,970	495	35	-50	1988	Homestake	GC	205.0	225.0	20.0	0.008	0.200	0.011
											400.0	405.0	5.0	0.004	0.560	0.012
GA88-024	RC	1658315	20866790	5,960	400	35	-50	1988	Homestake		100.0	105.0	5.0	0.013	0.000	0.013
											125.0	130.0	5.0	0.020	0.020	0.020
											195.0	200.0	5.0	0.015	0.050	0.016
GA88-025	RC	1658470	20866996	5,964	400	35	-50	1988	Homestake		No Significant Intercepts					
GA88-026	RC	1657911	20867740	5,929	100	35	-50	1988	Homestake		No Significant Intercepts					
GA88-026A	RC	1657905	20867734	5,929	420	35	-50	1988	Homestake		No Significant Intercepts					
GA88-027	RC	1659793	20866352	6,030	500	35	-50	1988	Homestake		5.0	10.0	5.0	0.022	0.000	0.022
											235.0	240.0	5.0	0.041	0.000	0.041
GA88-028	RC	1659814	20868318	6,026	500	215	-50	1988	Homestake	GC	20.0	210.0	190.0	0.009	0.041	0.010
											320.0	340.0	20.0	0.013	0.043	0.014
											375.0	440.0	65.0	0.025	0.215	0.028
											455.0	460.0	5.0	0.060	0.270	0.064
											495.0	500.0	5.0	0.014	0.016	0.016
GA88-029	RC	1659494	20867886	6,171	180	35	-50	1988	Homestake	GC	80.0	85.0	5.0	0.010	0.010	0.010
											150.0	155.0	5.0	0.011	0.030	0.011
GA88-029A	RC	1659487	20867870	6,169	120	35	-50	1988	Homestake	GC	20.0	25.0	5.0	0.010	0.000	0.010
											110.0	115.0	5.0	0.011	0.080	0.012
GA88-030	RC	1655767	20860952	6,004	500	0	-50	1988	Homestake		No Significant Intercepts					
GA88-031	RC	1659873	20867536	6,265	600	60	-50	1988	Homestake		20.0	25.0	5.0	0.010	0.350	0.015
											250.0	255.0	5.0	0.010	0.000	0.010
											410.0	415.0	5.0	0.010	0.000	0.010
											435.0	440.0	5.0	0.015	0.000	0.015
GA88-032	RC	1659352	20867618	6,123	500	35	-50	1988	Homestake		0.0	5.0	5.0	0.051	0.040	0.052
											460.0	465.0	5.0	0.023	0.000	0.023
GA88-033	RC	1659860	20867530	6,265	600	240	-50	1988	Homestake		25.0	30.0	5.0	0.008	0.230	0.011
											315.0	340.0	25.0	0.028	0.145	0.030
GA88-034	RC	1659132	20867632	6,064	500	125	-50	1988	Homestake		No Significant Intercepts					
GA88-035	RC	1659895	20868252	6,031	500	215	-50	1988	Homestake	GC	65.0	125.0	60.0	0.013	0.085	0.014
											145.0	175.0	30.0	0.016	0.050	0.016
											215.0	220.0	5.0	0.010	0.140	0.012
GA88-036	RC	1659732	20868374	6,037	460	215	-50	1988	Homestake	GC	20.0	140.0	120.0	0.012	0.105	0.014
											295.0	300.0	5.0	0.008	0.220	0.011

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA89-037	RC	1658710	20868884	5,971	510	0	-90	1989	Westgold	GC	0.0	40.0	40.0	0.008	0.264	0.011
											80.0	85.0	5.0	0.007	0.470	0.014
											170.0	205.0	35.0	0.006	0.433	0.012
											260.0	265.0	5.0	0.000	2.040	0.030
											285.0	310.0	25.0	0.000	1.290	0.019
											335.0	360.0	25.0	0.205	0.644	0.214
GA89-038	RC	1658582	20869018	5,943	400	0	-90	1989	Westgold	GC	25.0	45.0	20.0	0.008	0.180	0.011
											60.0	65.0	5.0	0.083	0.027	0.087
											75.0	360.0	285.0	0.038	0.414	0.044
											385.0	395.0	10.0	0.026	0.520	0.034
											455.0	510.0	55.0	0.038	0.335	0.042
GA89-039	RC	1659372	20868776	5,979	500	0	-90	1989	Westgold	GC	135.0	185.0	50.0	0.026	0.514	0.033
											210.0	240.0	30.0	0.023	0.173	0.025
											290.0	295.0	5.0	0.006	0.320	0.011
GA89-040	RC	1660092	20868218	6,023	291	0	-90	1989	Westgold	GC	40.0	140.0	100.0	0.012	0.045	0.012
GA89-041	RC	1660086	20868218	6,023	385	37	-75	1989	Westgold	GC	15.0	80.0	65.0	0.011	0.029	0.011
											215.0	220.0	5.0	0.031	0.110	0.033
GA89-042	RC	1658241	20869194	5,930	285	0	-90	1989	Westgold	GC	80.0	140.0	60.0	0.009	0.378	0.014
											250.0	255.0	5.0	0.012	0.120	0.014
GA89-043	RC	1658595	20869070	5,943	445	36	-60	1989	Westgold	GC	35.0	75.0	40.0	0.006	0.271	0.010
											195.0	280.0	85.0	0.053	0.274	0.059
GA89-044	RC	1657313	20869400	5,898	575	0	-90	1989	Westgold		515.0	535.0	20.0	0.015	0.060	0.016
GA89-045	RC	1656899	20870034	5,882	440	0	-90	1989	Westgold		No Significant Intercepts					
GA89-046	RC	1663846	20866176	6,130	200	0	-90	1989	Westgold		No Significant Intercepts					
GA89-047	RC	1670073	20861948	6,413	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-048	RC	1663095	20863508	6,170	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-049	RC	1665381	20862244	6,246	300	0	-90	1989	Westgold		No Significant Intercepts					
GA89-050	RC	1666957	20860804	6,331	245	0	-90	1989	Westgold		No Significant Intercepts					
GA89-051	RC	1669560	20860850	6,423	300	0	-90	1989	Westgold		No Significant Intercepts					
GA89-052	RC	1667978	20859996	6,473	410	0	-90	1989	Westgold		No Significant Intercepts					
GA89-053	RC	1659913	20870438	5,955	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-054	RC	1659244	20871468	5,915	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-055	RC	1657752	20869178	5,914	500	0	-90	1989	Westgold	GC	200.0	205.0	5.0	0.011	NA	0.011
GA89-056	RC	1657482	20868844	5,904	350	0	-90	1989	Westgold		55.0	60.0	5.0	0.100	NA	0.100
GA89-057	RC	1657130	20868574	5,885	300	0	-90	1989	Westgold		No Significant Intercepts					
GA89-058	RC	1658027	20869726	5,924	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-059	RC	1656598	20869524	5,876	345	0	-90	1989	Westgold		No Significant Intercepts					
GA89-060	RC	1656998	20869260	5,888	345	0	-90	1989	Westgold		165.0	170.0	5.0	0.019	NA	0.019

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA89-061	RC	1657118	20869722	5,892	425	0	-90	1989	Westgold		210.0	215.0	5.0	0.044	NA	0.044
											325.0	330.0	5.0	0.025	NA	0.025
											360.0	365.0	5.0	0.034	NA	0.034
GA89-062	RC	1659544	20869142	5,972	400	0	-90	1989	Westgold		125.0	155.0	30.0	0.018	NA	0.018
											285.0	305.0	20.0	0.013	NA	0.013
GA89-063	RC	1660013	20869004	5,988	400	0	-90	1989	Westgold		160.0	165.0	5.0	0.021	NA	0.021
											270.0	275.0	5.0	0.011	NA	0.011
											325.0	330.0	5.0	0.018	NA	0.018
GA89-064	RC	1660922	20868154	6,029	205	0	-90	1989	Westgold		No Significant Intercepts					
GA89-065	RC	1658294	20870076	5,923	400	0	-90	1989	Westgold		No Significant Intercepts					
GA89-066	RC	1658290	20870966	5,910	500	0	-90	1989	Westgold	HH	135.0	140.0	5.0	0.018	NA	0.018
											150.0	185.0	35.0	0.021	NA	0.021
											200.0	210.0	10.0	0.055	NA	0.055
											245.0	270.0	25.0	0.020	NA	0.020
											335.0	345.0	10.0	0.053	NA	0.053
											380.0	405.0	25.0	0.019	NA	0.019
											490.0	495.0	5.0	0.010	NA	0.010
GA89-067	RC	1656436	20870920	5,859	400	0	-90	1989	Westgold		225.0	230.0	5.0	0.010	NA	0.010
											330.0	335.0	5.0	0.010	NA	0.010
GA89-068	RC	1655002	20870924	5,808	500	0	-90	1989	Westgold		380.0	385.0	5.0	0.011	NA	0.011
GA89-069	RC	1659244	20869666	5,956	380	0	-90	1989	Westgold		No Significant Intercepts					
GA90-070	RC	1658296	20870766	5,914	400	0	-90	1990	Westgold	HH	155.0	160.0	5.0	0.016	NA	0.016
											185.0	190.0	5.0	0.010	NA	0.010
GA90-071	RC	1658687	20870886	5,921	500	0	-90	1990	Westgold	HH	230.0	235.0	5.0	0.014	NA	0.014
											245.0	250.0	5.0	0.015	NA	0.015
											375.0	395.0	20.0	0.017	NA	0.017
											445.0	485.0	40.0	0.031	NA	0.031
GA90-072	RC	1658288	20871168	5,906	400	0	-90	1990	Westgold	HH	200.0	205.0	5.0	0.021	NA	0.021
											235.0	240.0	5.0	0.014	NA	0.014
											265.0	285.0	20.0	0.020	NA	0.020
											335.0	340.0	0.0	0.031	NA	0.012
GA90-073	RC	1657943	20871164	5,898	500	0	-90	1990	Westgold		No Significant Intercepts					
GA90-074	RC	1657878	20872070	5,876	140	0	-90	1990	Westgold		No Significant Intercepts					
GA90-075	RC	1656813	20870790	5,872	400	0	-90	1990	Westgold		No Significant Intercepts					
GA90-076	RC	1655992	20870686	5,848	500	0	-90	1990	Westgold		400.0	405.0	5.0	0.020	NA	0.020
GA90-077	RC	1655567	20871466	5,828	400	0	-90	1990	Westgold		335.0	340.0	5.0	0.010	NA	0.010
GA90-078	RC	1657212	20870298	5,890	400	0	-90	1990	Westgold		305.0	365.0	60.0	0.048	NA	0.048
											375.0	380.0	5.0	0.010	NA	0.010
GA90-079	RC	1657511	20869746	5,906	425	0	-90	1990	Westgold		225.0	230.0	5.0	0.022	NA	0.022

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA90-080	RC	1659826	20869336	5,979	500	0	-90	1990	Westgold		195.0	200.0	5.0	0.017	NA	0.017
											260.0	265.0	5.0	0.012	0.000	0.012
GA90-081	DDH	1658293	20870780	5,913	602	36	-60	1990	Westgold	HH	105.0	110.0	5.0	0.011	NA	0.011
											130.0	145.0	15.0	0.012	NA	0.012
											155.0	160.0	5.0	0.014	NA	0.014
											190.0	195.0	5.0	0.012	NA	0.012
											225.0	230.0	5.0	0.014	NA	0.014
											245.0	270.0	25.0	0.059	NA	0.059
											319.0	352.0	33.0	0.042	NA	0.042
											367.0	391.5	24.5	0.021	NA	0.021
GA90-082	DDH	1658492	20870828	5,917	400	36	-60	1990	Westgold	HH	391.5	577.0	185.5	0.075	1.550	0.097
											592.0	602.0	10.0	0.007	0.625	0.016
											212.0	262.0	50.0	0.014	NA	0.014
											277.0	287.0	10.0	0.028	NA	0.028
											330.0	341.5	11.5	0.052	NA	0.052
											351.5	361.0	9.5	0.018	NA	0.018
											390.0	400.0	10.0	0.022	NA	0.022
											GA90-083	DDH	1658360	20870878	5,916	505
104.0	108.0	4.0	0.046	NA	0.046											
130.0	151.0	21.0	0.015	NA	0.015											
160.0	165.0	5.0	0.039	NA	0.039											
267.0	505.0	238.0	0.103	2.256	0.139											
GA90-084	DDH	1658257	20870916	5,910	490	36	-60	1990	Westgold	HH	93.0	95.0	2.0	0.011	NA	0.011
											95.0	103.0	8.0	0.093	0.380	0.099
											117.0	132.0	15.0	0.027	0.043	0.028
											158.0	177.0	19.0	0.016	0.170	0.018
											187.0	205.0	18.0	0.061	0.218	0.065
											210.0	216.0	6.0	0.011	NA	0.011
											241.0	246.0	5.0	0.019	NA	0.019
											302.0	307.0	5.0	0.010	NA	0.010
											332.0	342.0	10.0	0.015	0.940	0.028
											357.0	362.0	5.0	0.011	NA	0.011
377.0	387.0	10.0	0.012	NA	0.012											
GA90-085	RC	1658270	20871074	5,907	600	125	-60	1990	Westgold	HH	432.0	437.0	5.0	0.013	NA	0.013
											110.0	285.0	175.0	0.079	0.936	0.093
											300.0	350.0	50.0	0.013	0.310	0.020
											365.0	370.0	5.0	0.022	0.440	0.028
											375.0	500.0	125.0	0.047	0.958	0.061
500.0	580.0	80.0	0.020	NA	0.020											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA90-086	RC	1658178	20871000	5,907	600	125	-60	1990	Westgold	HH	125.0	135.0	10.0	0.012	NA	0.012
											160.0	200.0	40.0	0.017	0.114	0.019
											235.0	260.0	25.0	0.036	0.076	0.037
											275.0	290.0	15.0	0.014	0.057	0.015
											325.0	330.0	5.0	0.024	NA	0.024
											370.0	375.0	5.0	0.306	NA	0.306
											390.0	395.0	5.0	0.025	NA	0.025
GA90-087	RC	1658576	20870950	5,917	500	34	-60	1990	Westgold	HH	No Significant Intercepts					
GA90-088	RC	1658391	20871242	5,906	500	125	-60	1990	Westgold	HH	170.0	175.0	5.0	0.014	NA	0.014
											200.0	210.0	10.0	0.018	NA	0.018
											225.0	500.0	275.0	0.030	0.758	0.041
GA90-089	RC	1658074	20870928	5,905	360	125	-60	1990	Westgold	HH	No Significant Intercepts					
GA90-090	RC	1658303	20870776	5,913	445	125	-60	1990	Westgold	HH	170.0	175.0	5.0	0.011	NA	0.011
											195.0	200.0	5.0	0.017	NA	0.017
											235.0	240.0	5.0	0.012	NA	0.012
GA90-091	RC	1658144	20871158	5,903	500	125	-60	1990	Westgold	HH	180.0	200.0	20.0	0.015	0.218	0.018
											200.0	245.0	45.0	0.020	NA	0.020
											380.0	405.0	25.0	0.054	0.726	0.065
											455.0	500.0	45.0	0.012	0.500	0.019
GA90-092	RC	1658314	20870560	5,917	440	125	-60	1990	Westgold		265.0	270.0	5.0	0.015	NA	0.015
GA90-093	RC	1658485	20870818	5,917	405	0	-90	1990	Westgold	HH	80.0	85.0	5.0	0.026	NA	0.026
											200.0	210.0	10.0	0.017	NA	0.017
											285.0	290.0	5.0	0.011	NA	0.011
											305.0	310.0	5.0	0.012	NA	0.012
GA90-094	RC	1658504	20871408	5,901	445	125	-60	1990	Westgold	HH	315.0	320.0	5.0	0.010	NA	0.010
											370.0	375.0	5.0	0.011	NA	0.011
GA90-095	RC	1657975	20871268	5,896	500	125	-60	1990	Westgold	HH	240.0	245.0	5.0	0.024	NA	0.024
											290.0	300.0	10.0	0.020	NA	0.020
											300.0	305.0	5.0	0.014	0.012	0.016
											350.0	365.0	15.0	0.017	0.097	0.018
											405.0	410.0	5.0	0.016	0.250	0.020
											420.0	425.0	5.0	0.010	0.440	0.016
											465.0	470.0	5.0	0.010	NA	0.010
490.0	500.0	10.0	0.012	0.495	0.019											
GA90-096	RC	1657642	20871526	5,882	400	0	-90	1990	Westgold		No Significant Intercepts					
GA90-097	RC	1657595	20870956	5,892	420	0	-90	1990	Westgold		No Significant Intercepts					
GA90-098	RC	1657184	20870256	5,890	480	34	-60	1990	Westgold	HH	295.0	300.0	5.0	0.010	NA	0.010
											335.0	340.0	5.0	0.010	NA	0.010
											370.0	375.0	5.0	0.015	NA	0.015
GA90-099	RC	1660614	20869016	5,992	450	0	-90	1990	Westgold		No Significant Intercepts					

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA90-100	RC	1659941	20869516	5,968	500	0	-90	1990	Westgold					No Significant Intercepts		
GA90-101	RC	1658851	20870780	5,927	500	0	-90	1990	Westgold	HH	395.0	450.0	55.0	0.033	NA	0.033
GA90-102	RC	1658218	20871354	5,901	500	125	-60	1990	Westgold	HH	280.0	290.0	10.0	0.010	NA	0.010
											315.0	320.0	5.0	0.018	NA	0.018
											330.0	345.0	15.0	0.016	NA	0.016
											390.0	400.0	10.0	0.015	NA	0.015
											420.0	500.0	80.0	0.040	0.604	0.049
GA90-103	RC	1658049	20871468	5,895	500	125	-60	1990	WestGold	HH	325.0	335.0	10.0	0.018	NA	0.018
GA90-104	RC	1658168	20871630	5,893	500	125	-60	1990	Westgold	HH	330.0	335.0	5.0	0.011	NA	0.011
											410.0	420.0	10.0	0.017	NA	0.017
											450.0	465.0	15.0	0.011	NA	0.011
GA90-105	RC	1658338	20871518	5,899	500	125	-60	1990	Westgold	HH	285.0	300.0	15.0	0.011	NA	0.011
											335.0	355.0	20.0	0.018	NA	0.018
											395.0	400.0	5.0	0.143	NA	0.143
											400.0	470.0	70.0	0.026	0.656	0.036
											490.0	500.0	10.0	0.105	0.665	0.114
GA90-106	RC	1658334	20871522	5,899	520	34	-60	1990	Westgold	HH				No Significant Intercepts		
GA90-107	RC	1658911	20870498	5,934	500	34	-60	1990	Westgold				No Significant Intercepts			
GA90-108	RC	1658182	20870998	5,907	500	34	-60	1990	Westgold	HH	165.0	190.0	25.0	0.027	NA	0.027
											205.0	215.0	10.0	0.016	NA	0.016
											225.0	235.0	10.0	0.019	NA	0.019
											250.0	275.0	25.0	0.021	NA	0.021
											300.0	330.0	30.0	0.032	NA	0.032
											345.0	425.0	80.0	0.027	NA	0.027
GA90-109	RC	1657947	20871158	5,898	500	34	-60	1990	Westgold		290.0	310.0	20.0	0.098	NA	0.098
											365.0	380.0	15.0	0.013	NA	0.013
											445.0	450.0	5.0	0.039	NA	0.039
GA90-110	RC	1658092	20870874	5,907	500	34	-60	1990	Westgold	HH	160.0	170.0	10.0	0.012	NA	0.012
											275.0	280.0	5.0	0.018	NA	0.018
											445.0	475.0	30.0	0.020	NA	0.020
GA90-111	RC	1658431	20871758	5,891	600	125	-60	1990	Westgold				No Significant Intercepts			
GA90-112	RC	1658909	20870494	5,934	505	0	-90	1990	Westgold		350.0	355.0	5.0	0.012	NA	0.012
											485.0	490.0	5.0	0.012	NA	0.012
GA90-113	RC	1657241	20870340	5,890	500	215	-60	1990	Westgold		320.0	325.0	5.0	0.010	NA	0.010
											385.0	390.0	5.0	0.011	NA	0.011
GA90-114	RC	1660173	20868568	5,992	500	34	-60	1990	Westgold	GC	110.0	135.0	25.0	0.026	NA	0.026
GA90-115	RC	1659132	20869026	5,956	580	0	-90	1990	Westgold		185.0	200.0	15.0	0.012	NA	0.012
											300.0	305.0	5.0	0.022	NA	0.022



**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA90-116	RC	1658807	20869304	5,950	505	0	-90	1990	Westgold	GC	115.0	120.0	5.0	0.011	NA	0.011
											190.0	195.0	5.0	0.011	NA	0.011
											210.0	250.0	40.0	0.035	NA	0.035
											400.0	405.0	5.0	0.081	NA	0.081
											425.0	430.0	5.0	0.011	NA	0.011
GA90-117	RC	1657967	20870694	5,906	520	34	-60	1990	Westgold	No Significant Intercepts						
GA90-118	RC	1658295	20871174	5,906	775	34	-60	1990	Westgold	HH	200.0	210.0	10.0	0.028	NA	0.028
											240.0	345.0	105.0	0.025	NA	0.025
											395.0	400.0	5.0	0.012	NA	0.012
											470.0	635.0	165.0	0.046	NA	0.046
											705.0	710.0	5.0	0.010	NA	0.010
GA90-119	RC	1658007	20870958	5,903	580	34	-60	1990	Westgold	HH	200.0	245.0	45.0	0.013	NA	0.013
											260.0	280.0	20.0	0.013	NA	0.013
											455.0	460.0	5.0	0.031	NA	0.031
											470.0	475.0	5.0	0.012	NA	0.012
											485.0	490.0	5.0	0.013	NA	0.013
GA90-120	RC	1658146	20871162	5,903	660	34	-60	1990	Westgold	HH	375.0	380.0	5.0	0.047	NA	0.047
											550.0	570.0	20.0	0.016	NA	0.016
											605.0	610.0	5.0	0.010	NA	0.010
											635.0	645.0	10.0	0.010	NA	0.010
											GA90-121	DDH	1658481	20871052	5,913	1,000
382.0	387.0	5.0	0.055	NA	0.055											
401.0	405.0	4.0	0.015	NA	0.015											
415.0	438.0	23.0	0.026	NA	0.026											
448.0	463.0	15.0	0.031	NA	0.031											
478.0	488.0	10.0	0.012	NA	0.012											
498.0	514.0	16.0	0.023	NA	0.023											
529.0	534.0	5.0	0.018	NA	0.018											
544.0	559.0	15.0	0.016	NA	0.016											
621.0	627.0	6.0	0.016	NA	0.016											
654.0	661.0	7.0	0.030	NA	0.030											
821.0	826.0	5.0	0.010	NA	0.010											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA90-122	DDH	1658437	20871390	5,898	602	215	-90	1990	Westgold	HH	278.0	343.0	65.0	0.018	NA	0.018
											427.0	469.0	42.0	0.019	NA	0.019
											484.0	489.0	5.0	0.049	NA	0.049
											506.0	510.0	4.0	0.046	NA	0.046
											514.0	519.0	5.0	0.110	NA	0.110
											540.0	584.0	44.0	0.014	NA	0.014
GA90-123	RC	1658657	20871308	5,902	615	125	-90	1990	Westgold	HH	325.0	330.0	5.0	0.010	NA	0.010
											445.0	500.0	55.0	0.029	NA	0.029
											565.0	570.0	5.0	0.011	NA	0.011
											595.0	605.0	10.0	0.011	NA	0.011
GA92-124	RC	1658577	20868464	5,949	540	305	-45	1992	Independence		90.0	95.0	5.0	0.000	0.670	0.010
											190.0	200.0	10.0	0.007	0.190	0.010
											355.0	365.0	10.0	0.007	0.255	0.011
GA92-125	RC	1658678	20868336	5,949	325	215	-60	1992	Independence		No Significant Intercepts					
GA92-126	RC	1659089	20868524	6,009	800	125	-45	1992	Independence	GC	145.0	240.0	95.0	0.007	0.308	0.011
											600.0	625.0	25.0	0.021	0.188	0.023
											670.0	690.0	20.0	0.058	0.153	0.060
GA92-127	RC	1657314	20869420	5,898	400	305	-60	1992	Independence		140.0	145.0	5.0	0.004	0.045	0.010
											160.0	165.0	5.0	0.003	0.590	0.011
GA92-128	RC	1659103	20869650	5,954	600	305	-60	1992	Independence		No Significant Intercepts					
GA92-129	RC	1658869	20870198	5,942	465	305	-60	1992	Independence		No Significant Intercepts					
GA92-130	RC	1660458	20868510	6,009	465	305	-90	1992	Independence		No Significant Intercepts					
GA92-131	RC	1661071	20869278	6,009	500	305	-90	1992	Independence		Hole in Alluvium					
GA92-132	RC	1658062	20872360	5,875	500	305	-90	1992	Independence		No Significant Intercepts					
GA92-133	RC	1660745	20871672	5,944	500	0	-90	1992	Independence		Hole in Alluvium					
GA92-134	RC	1664436	20878712	5,855	500	0	-90	1992	Independence		Hole in Alluvium					
GA92-143	RC	1656391	20874930	5,789	600	0	-90	1992	Independence		No Significant Intercepts					
GA92-144	RC	1662670	20873332	5,949	600	0	-90	1992	Independence		Hole in Alluvium					
GA93-145	RC	1658359	20870866	5,917	935	0	-90	1993	Coeur	HH	60.0	280.0	220.0	0.017	0.341	0.022
											325.0	335.0	10.0	0.045	0.520	0.053
											430.0	440.0	10.0	0.011	0.020	0.014

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA93-146	RC	1658324	20871194	5,909	835	0	-90	1993	Coeur	HH	155.0	160.0	5.0	0.052	0.029	0.056
											175.0	180.0	5.0	0.045	0.140	0.047
											205.0	230.0	25.0	0.014	0.148	0.016
											250.0	260.0	10.0	0.019	0.150	0.021
											275.0	280.0	5.0	0.015	0.230	0.018
											290.0	295.0	5.0	0.013	0.140	0.015
											310.0	315.0	5.0	0.013	0.020	0.013
											435.0	445.0	10.0	0.012	1.250	0.030
											510.0	515.0	5.0	0.009	0.260	0.013
											545.0	580.0	35.0	0.006	0.544	0.014
											650.0	660.0	10.0	0.003	0.615	0.012
675.0	680.0	5.0	0.002	0.840	0.014											
685.0	690.0	5.0	0.009	0.015	0.011											
GA93-147	RC	1658611	20870662	5,927	600	0	-90	1993	Coeur	HH	135.0	165.0	30.0	0.011	0.058	0.012
											180.0	185.0	5.0	0.018	0.050	0.018
											440.0	450.0	10.0	0.020	0.070	0.021
											475.0	485.0	10.0	0.019	0.050	0.020
											530.0	535.0	5.0	0.007	0.260	0.011
GA93-148	RC	1658163	20870208	5,924	695	0	-90	1993	Coeur	No Significant Intercepts						
GA93-149	RC	1658087	20869128	5,927	640	0	-90	1993	Coeur	GC	95.0	150.0	55.0	0.006	0.451	0.013
											170.0	175.0	5.0	0.010	0.220	0.013
											235.0	250.0	15.0	0.005	0.373	0.011
											265.0	275.0	10.0	0.004	0.500	0.011
											295.0	305.0	10.0	0.003	0.750	0.014
											440.0	445.0	5.0	0.007	0.380	0.013
575.0	640.0	65.0	0.047	0.384	0.053											
GA93-150	RC	1658873	20868708	6,009	620	0	-90	1993	Coeur	GC	15.0	235.0	220.0	0.012	0.208	0.015
											410.0	420.0	10.0	0.011	0.245	0.014
											485.0	500.0	15.0	0.007	0.420	0.013
GA93-151	DDH	1658280	20869046	5,930	806	0	-90	1993	Coeur	GC	62.0	80.0	18.0	0.013	0.478	0.020
											121.0	122.0	1.0	0.020	0.130	0.022
											136.5	218.0	81.5	0.025	0.138	0.027
											314.0	339.5	25.5	0.038	1.247	0.055
											440.0	446.0	6.0	0.004	0.056	0.012
											490.7	503.0	12.3	0.220	0.655	0.031
											551.0	553.0	2.0	0.010	0.310	0.014
607.0	625.0	18.0	0.083	1.153	0.100											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA93-152	DDH	1658271	20871068	5,909	806	0	-90	1993	Coeur	HH	134.0	207.5	73.5	0.022	0.284	0.026
											240.5	263.0	22.5	0.022	0.184	0.025
											353.0	399.5	46.5	0.025	0.578	0.034
											462.0	533.0	71.0	0.007	0.748	0.018
GA93-153	DDH	1658421	20868936	5,931	689	0	-90	1993	Coeur	GC	42.0	98.0	56.0	0.010	0.543	0.018
											116.0	121.5	5.5	0.013	0.030	0.013
											140.0	152.0	12.0	0.008	0.150	0.010
											306.0	311.0	5.0	0.009	0.180	0.012
											425.0	426.5	1.5	0.027	0.450	0.034
											443.5	450.0	6.5	0.011	0.260	0.015
											459.0	468.5	9.5	0.011	0.395	0.017
											472.0	477.5	5.5	0.014	0.540	0.022
											507.0	513.0	6.0	0.007	0.029	0.011
											528.5	537.0	8.5	0.009	0.130	0.100
623.0	679.0	56.0	0.012	0.220	0.015											
682.5	689.0	6.5	0.013	0.080	0.014											
GA93-154	DDH	1658534	20871260	5,907	706	0	-90	1993	Coeur	HH	194.0	221.0	27.0	0.008	0.080	0.010
											238.5	246.0	7.5	0.025	0.430	0.031
											257.0	304.5	47.5	0.004	0.413	0.010
											340.5	551.0	210.5	0.019	0.427	0.025
603.0	650.0	47.0	0.018	1.485	0.039											
GA94-155	RC	1658793	20871002	5,919	650	270	-60	1994	Coeur	HH	275.0	320.0	45.0	0.029	0.152	0.031
											385.0	445.0	60.0	0.029	0.703	0.039
											465.0	480.0	15.0	0.021	0.430	0.027
											490.0	495.0	5.0	0.021	0.790	0.033
											520.0	525.0	5.0	0.011	0.710	0.021
											535.0	565.0	30.0	0.062	2.710	0.100
590.0	600.0	10.0	0.012	0.360	0.018											
620.0	650.0	30.0	0.037	4.273	0.098											
GA94-156	RC	1658847	20871478	5,899	710	270	-60	1994	Coeur	HH	555.0	565.0	10.0	0.011	0.330	0.016
											580.0	585.0	5.0	0.045	0.530	0.053
GA94-157	RC	1658203	20871360	5,900	590	270	-60	1994	Coeur	HH	325.0	330.0	5.0	0.120	1.060	0.135
											360.0	365.0	5.0	0.010	0.120	0.011
											480.0	485.0	5.0	0.029	0.240	0.033
											525.0	530.0	5.0	0.011	0.015	0.013
GA94-158	RC	1658967	20870982	5,919	548	270	-60	1994	Coeur	HH	515.0	545.0	30.0	0.017	0.753	0.027

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA94-159	RC	1658776	20869112	5,950	630	270	-60	1994	Coeur	GC	130.0	155.0	25.0	0.021	0.208	0.024
											170.0	205.0	35.0	0.011	0.829	0.023
											220.0	225.0	5.0	0.006	0.830	0.018
											235.0	270.0	35.0	0.013	0.344	0.017
											285.0	290.0	5.0	0.018	0.140	0.020
										305.0	320.0	15.0	0.012	0.373	0.017	
GA94-160	RC	1661277	20868294	6,020	350	270	-70	1994	Coeur		No Significant Intercepts					
GA94-161	RC	1661030	20867038	6,054	600	35	-60	1994	Coeur		45.0	50.0	5.0	0.075	0.060	0.076
											195.0	205.0	10.0	0.012	0.025	0.012
											235.0	245.0	10.0	0.025	0.025	0.026
											270.0	275.0	5.0	0.027	0.090	0.028
										585.0	590.0	5.0	0.017	0.110	0.018	
GA94-162	RC	1661267	20867234	6,054	500	180	-60	1994	Coeur		130.0	145.0	15.0	0.036	0.133	0.038
											275.0	280.0	5.0	0.010	0.020	0.010
GA94-163	RC	1659635	20868830	5,989	665	90	-60	1994	Coeur	GC	30.0	50.0	20.0	0.010	0.245	0.014
											105.0	130.0	25.0	0.039	0.482	0.046
											165.0	195.0	30.0	0.016	2.300	0.049
											350.0	355.0	5.0	0.005	0.480	0.012
										420.0	425.0	5.0	0.016	1.180	0.042	
GA94-164	RC	1657802	20867532	5,939	480	0	-60	1994	Coeur		No Significant Intercepts					
GA94-165	RC	1658001	20868898	5,924	600	35	-45	1994	Coeur	GC	275.0	285.0	10.0	0.018	0.105	0.020
											345.0	350.0	5.0	0.012	0.220	0.015
											365.0	380.0	15.0	0.010	0.467	0.016
											560.0	580.0	20.0	0.030	0.978	0.044
GA94-166	RC	1659404	20868392	6,089	575	40	-60	1994	Coeur	GC	10.0	15.0	5.0	0.013	0.060	0.014
											35.0	40.0	5.0	0.008	0.021	0.011
											50.0	55.0	5.0	0.048	0.140	0.050
											100.0	180.0	80.0	0.017	0.406	0.023
											225.0	280.0	55.0	0.024	0.825	0.036
											310.0	410.0	100.0	0.130	0.277	0.134
						425.0	440.0	15.0	0.012	1.040	0.026					
						480.0	490.0	10.0	0.002	0.745	0.013					
GA94-167	RC	1659308	20868286	6,089	600	5	-60	1994	Coeur	GC	0.0	15.0	15.0	0.012	0.267	0.016
											40.0	65.0	25.0	0.016	0.304	0.020
											85.0	270.0	185.0	0.013	0.250	0.017
											285.0	305.0	20.0	0.015	0.172	0.017
										585.0	600.0	15.0	0.009	0.277	0.013	
GA94-168	RC	1659294	20869054	5,964	600	30	-60	1994	Coeur		90.0	95.0	5.0	0.010	0.050	0.010

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA94-169	RC	1658681	20870948	5,924	1,220	0	-90	1994	Coeur	HH	195.0	200.0	5.0	0.017	0.150	0.019
											210.0	215.0	5.0	0.011	0.070	0.012
											275.0	280.0	5.0	0.007	0.190	0.100
											350.0	360.0	10.0	0.009	1.415	0.029
											375.0	380.0	5.0	0.061	1.100	0.077
											470.0	570.0	100.0	0.023	0.583	0.031
											740.0	745.0	5.0	0.015	0.430	0.022
											855.0	860.0	5.0	0.010	0.180	0.013
											885.0	950.0	65.0	0.011	0.096	0.012
										970.0	975.0	5.0	0.009	0.080	0.010	
GA94-170	RC	1660804	20867264	6,049	600	40	-60	1994	Coeur		No Significant Intercepts					
GA94-171	RC	1659092	20868550	6,014	1,100	0	-90	1994	Coeur	GC	125.0	130.0	5.0	0.012	0.340	0.016
											140.0	160.0	20.0	0.011	0.545	0.018
											190.0	195.0	5.0	0.005	0.370	0.010
											215.0	220.0	5.0	0.006	0.620	0.015
											230.0	235.0	5.0	0.004	0.550	0.012
											260.0	270.0	10.0	0.008	0.265	0.012
											350.0	355.0	5.0	0.004	0.360	0.010
											540.0	545.0	5.0	0.031	0.070	0.032
											555.0	560.0	5.0	0.010	0.030	0.010
											785.0	790.0	5.0	0.006	0.310	0.010
										845.0	855.0	10.0	0.127	0.405	0.133	
										880.0	885.0	5.0	0.054	0.190	0.057	
										915.0	945.0	30.0	0.037	0.837	0.049	
										1085.0	1090.0	5.0	0.023	0.080	0.024	
GA94-172	RC	1658989	20867934	6,029	1,160	85	-45	1994	Coeur	GC	30.0	125.0	95.0	0.107	0.972	0.121
											145.0	170.0	25.0	0.010	0.136	0.012
											615.0	645.0	30.0	0.033	0.578	0.041
											790.0	800.0	10.0	0.010	0.155	0.012
											915.0	955.0	40.0	0.020	0.269	0.240
											1010.0	1015.0	5.0	0.038	0.420	0.044
											1060.0	1065.0	5.0	0.012	0.030	0.012
GA94-173	RC	1658577	20868474	5,959	650	35	-55	1994	Coeur	GC	70.0	75.0	5.0	0.034	0.260	0.038
											120.0	130.0	10.0	0.026	0.600	0.034
											180.0	195.0	15.0	0.010	0.453	0.017
											515.0	520.0	5.0	0.010	0.340	0.015

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
KGA-001	RC	1658359	20870846	5,913	1,000	35	-60	1996	Kennecott	HH	80.0	115.0	35.0	0.012	0.610	0.021
											135.0	485.0	350.0	0.040	0.383	0.046
											520.0	555.0	35.0	0.012	0.137	0.014
											575.0	580.0	5.0	0.011	0.080	0.013
											610.0	615.0	5.0	0.009	1.120	0.025
											625.0	635.0	10.0	0.013	0.140	0.015
											650.0	655.0	5.0	0.010	0.080	0.001
											685.0	695.0	10.0	0.007	0.220	0.010
											780.0	785.0	5.0	0.010	0.020	0.010
											800.0	805.0	5.0	0.009	0.110	0.011
855.0	860.0	5.0	0.008	0.480	0.015											
KGA-002	RC	1658222	20871078	5,906	1,000	35	-60	1996	Kennecott	HH	170.0	175.0	5.0	0.010	0.020	0.010
											195.0	220.0	25.0	0.041	0.060	0.042
											250.0	265.0	15.0	0.186	0.177	0.189
											280.0	300.0	20.0	0.013	0.030	0.014
											320.0	325.0	5.0	0.010	0.240	0.014
											360.0	380.0	20.0	0.028	0.355	0.033
											335.0	385.0	50.0	0.011	0.508	0.018
											525.0	530.0	5.0	0.012	0.510	0.020
											545.0	550.0	5.0	0.009	0.250	0.013
											615.0	620.0	5.0	0.008	1.020	0.230
											635.0	645.0	10.0	0.012	0.100	0.014
											675.0	690.0	15.0	0.013	0.260	0.016
											710.0	725.0	15.0	0.005	0.963	0.019
											750.0	755.0	5.0	0.007	0.320	0.012
780.0	785.0	5.0	0.008	0.240	0.011											
875.0	890.0	15.0	0.009	0.123	0.011											
KGA-003	RC	1658162	20868868	5,928	800	35	-50	1996	Kennecott	GC	75.0	80.0	5.0	0.008	0.150	0.010
											85.0	90.0	5.0	0.010	0.050	0.010
											155.0	170.0	15.0	0.028	0.170	0.031
											180.0	200.0	20.0	0.019	0.065	0.020
											225.0	275.0	50.0	0.030	0.560	0.031
											345.0	450.0	105.0	0.042	0.361	0.047
											325.0	355.0	30.0	0.248	1.465	0.269
											575.0	580.0	5.0	0.018	0.040	0.018
											600.0	605.0	5.0	0.018	0.040	0.019

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
KGA-004	RC	1658451	20868920	5,939	800	35	-50	1996	Kennecott	GC	5.0	130.0	125.0	0.010	0.389	0.015
											145.0	150.0	5.0	0.017	0.030	0.017
											160.0	165.0	5.0	0.009	0.180	0.012
											190.0	255.0	65.0	0.036	0.244	0.040
											320.0	375.0	55.0	0.016	0.380	0.022
											395.0	450.0	55.0	0.025	0.213	0.028
705.0	710.0	5.0	0.017	0.013	0.019											
KGA-005	RC	1660566	20866836	6,069	800	35	-60	1996	Kennecott		695.0	700.0	5.0	0.014	0.060	0.015
KGA-006	RC	1655935	20861066	6,029	300	320	-60	1996	Kennecott		150.0	155.0	5.0	0.015	NA	0.015
KGA-007	RC	1656066	20860904	6,034	570	320	-60	1996	Kennecott		480.0	485.0	5.0	0.014	NA	0.014
											495.0	500.0	5.0	0.016	NA	0.016
KGA-008	RC	1655145	20860502	6,024	300	330	-60	1996	Kennecott		No Significant Intercepts					
GA97-174	RC	1658333	20871048	5,910	500	35	-60	1997	Tombstone	HH	135.0	140.0	5.0	0.014	0.060	0.015
											150.0	270.0	120.0	0.022	0.122	0.023
											300.0	305.0	5.0	0.015	0.060	0.016
											380.0	500.0	120.0	0.056	1.275	0.074
GA97-175	RC	1658386	20871130	5,909	600	35	-60	1997	Tombstone	HH	155.0	160.0	5.0	0.024	0.150	0.260
											185.0	190.0	5.0	0.017	0.120	0.019
											195.0	205.0	10.0	0.010	0.075	0.011
											215.0	325.0	110.0	0.058	0.207	0.061
											365.0	480.0	115.0	0.052	0.706	0.062
											505.0	600.0	95.0	0.025	0.432	0.031
GA97-176	RC	1658446	20871208	5,909	600	35	-60	1997	Tombstone	HH	265.0	280.0	15.0	0.024	0.070	0.025
											305.0	310.0	5.0	0.009	0.130	0.011
											325.0	330.0	5.0	0.005	0.470	0.001
											340.0	375.0	35.0	0.022	0.689	0.032
											435.0	440.0	5.0	0.011	0.180	0.014
											450.0	455.0	5.0	0.015	0.160	0.017
											470.0	535.0	65.0	0.030	0.580	0.038
GA97-177	RC	1658422	20870952	5,914	500	0	-90	1997	Tombstone	HH	75.0	80.0	5.0	0.017	0.160	0.019
											120.0	125.0	5.0	0.017	0.016	0.019
											195.0	240.0	45.0	0.053	0.563	0.061
											270.0	470.0	200.0	0.035	0.495	0.042
GA97-178	RC	1658537	20871122	5,912	600	35	-60	1997	Tombstone	HH	375.0	390.0	15.0	0.011	0.340	0.016
											545.0	560.0	15.0	0.012	0.213	0.015



**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-179	RC	1658431	20870748	5,917	600	35	-60	1997	Tombstone	HH	110.0	125.0	15.0	0.012	0.103	0.013
											155.0	160.0	5.0	0.011	0.060	0.012
											165.0	170.0	5.0	0.100	0.100	0.011
											215.0	220.0	5.0	0.043	0.070	0.044
											340.0	540.0	200.0	0.035	1.313	0.054
570.0	600.0	30.0	0.008	0.843	0.020											
GA97-180	RC	1658114	20871084	5,904	500	35	-60	1997	Tombstone	HH	295.0	300.0	5.0	0.012	0.020	0.012
											310.0	315.0	5.0	0.015	0.020	0.016
											350.0	355.0	5.0	0.010	0.030	0.011
GA97-181	RC	1658226	20871248	5,903	500	35	-60	1997	Tombstone	HH	260.0	300.0	40.0	0.020	0.068	0.021
											330.0	340.0	10.0	0.064	0.255	0.067
											425.0	440.0	15.0	0.010	0.067	0.011
											485.0	490.0	5.0	0.016	0.110	0.017
GA97-182	RC	1658285	20871320	5,903	500	35	-60	1997	Tombstone	HH	225.0	230.0	5.0	0.042	0.010	0.042
											250.0	270.0	20.0	0.010	0.038	0.010
											360.0	385.0	25.0	0.026	0.118	0.028
											460.0	500.0	40.0	0.063	1.929	0.091
GA97-183	RC	1658016	20871274	5,896	520	35	-60	1997	Tombstone	HH	235.0	240.0	5.0	0.043	0.160	0.045
											285.0	295.0	10.0	0.032	0.055	0.033
											420.0	440.0	20.0	0.020	1.075	0.035
GA97-184	RC	1658118	20871448	5,896	500	35	-60	1997	Tombstone	HH	355.0	390.0	35.0	0.036	0.203	0.039
											410.0	415.0	5.0	0.028	0.070	0.029
											435.0	445.0	10.0	0.026	0.415	0.032
GA97-185	RC	1658790	20871114	5,895	600	270	-60	1997	Tombstone	HH	285.0	290.0	5.0	0.010	0.040	0.010
											380.0	410.0	30.0	0.018	0.262	0.220
											440.0	460.0	20.0	0.016	0.130	0.018
											475.0	480.0	5.0	0.079	0.480	0.086
											510.0	535.0	25.0	0.012	0.287	0.016
											540.0	545.0	5.0	0.010	0.300	0.015
555.0	600.0	45.0	0.013	0.926	0.026											
GA97-186	RC	1658817	20871242	5,895	600	270	-60	1997	Tombstone	HH	295.0	300.0	5.0	0.009	0.060	0.010
											330.0	340.0	10.0	0.014	0.225	0.018
											375.0	560.0	185.0	0.047	0.825	0.059
GA97-187	RC	1658253	20870706	5,913	500	35	-60	1997	Tombstone	HH	185.0	265.0	80.0	0.016	0.065	0.017

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-188	RC	1658162	20870802	5,909	500	35	-60	1997	Tombstone	HH	155.0	160.0	5.0	0.012	0.040	0.012
											165.0	205.0	40.0	0.028	0.043	0.029
											225.0	230.0	5.0	0.011	0.020	0.012
											245.0	255.0	10.0	0.014	0.025	0.014
											310.0	315.0	5.0	0.015	0.020	0.015
GA97-189	RC	1657920	20870980	5,901	500	35	-60	1997	Tombstone		335.0	340.0	5.0	0.036	0.050	0.037
											245.0	250.0	5.0	0.017	0.060	0.018
											475.0	500.0	25.0	0.005	0.968	0.019
											235.0	240.0	5.0	0.046	0.080	0.048
											375.0	405.0	30.0	0.660	0.522	0.073
GA97-190	RC	1657786	20871312	5,891	500	35	-60	1997	Tombstone		440.0	450.0	10.0	0.046	1.275	0.054
											490.0	500.0	10.0	0.089	2.045	0.118
											490.0	500.0	10.0	0.089	2.045	0.118
GA97-191	RC	1657902	20871478	5,891	500	35	-60	1997	Tombstone		245.0	270.0	25.0	0.025	0.042	0.025
											290.0	295.0	5.0	0.026	0.034	0.031
											325.0	340.0	15.0	0.160	0.820	0.172
											385.0	390.0	5.0	0.020	0.285	0.024
											450.0	455.0	5.0	0.016	0.040	0.017
GA97-192	RC	1658259	20871468	5,899	500	0	-90	1997	Tombstone	HH	480.0	500.0	20.0	0.071	1.533	0.093
											190.0	200.0	10.0	0.031	0.110	0.033
											295.0	325.0	30.0	0.038	0.342	0.043
											180.0	185.0	5.0	0.027	0.010	0.027
											235.0	240.0	5.0	0.014	0.010	0.014
GA97-193	RC	1658529	20870544	5,923	500	35	-60	1997	Tombstone	HH	270.0	275.0	5.0	0.011	0.010	0.011
											305.0	310.0	5.0	0.025	0.010	0.025
											390.0	400.0	10.0	0.039	0.290	0.043
											420.0	425.0	5.0	0.032	0.060	0.033
GA97-194	RC	1658687	20870780	5,923	500	35	-60	1997	Tombstone	HH	435.0	440.0	5.0	0.021	0.060	0.021
											490.0	495.0	5.0	0.006	0.330	0.011
											460.0	480.0	20.0	0.011	0.523	0.018
											250.0	255.0	5.0	0.009	0.150	0.011
GA97-195	RC	1658686	20870432	5,929	500	35	-60	1997	Tombstone		270.0	280.0	10.0	0.014	0.075	0.015
											305.0	315.0	10.0	0.010	0.200	0.012
											340.0	375.0	35.0	0.017	0.437	0.023
											140.0	145.0	5.0	0.004	0.420	0.010
GA97-196	RC	1658804	20870596	5,929	500	35	-60	1997	Tombstone		175.0	180.0	5.0	0.007	0.680	0.017
											100.0	105.0	5.0	0.015	0.040	0.016
											180.0	185.0	5.0	0.011	0.140	0.013
GA97-197	RC	1658060	20868922	5,929	400	35	-60	1997	Tombstone	GC	350.0	355.0	5.0	0.044	0.360	0.049
											90.0	95.0	5.0	0.011	0.060	0.012
											135.0	140.0	5.0	0.007	0.350	0.012
											100.0	105.0	5.0	0.015	0.040	0.016
GA97-198	RC	1658172	20869086	5,928	400	35	-60	1997	Tombstone	GC	180.0	185.0	5.0	0.011	0.140	0.013
											180.0	185.0	5.0	0.011	0.140	0.013
											350.0	355.0	5.0	0.044	0.360	0.049
GA97-199	RC	1657834	20868952	5,916	460	35	-60	1997	Tombstone	GC	90.0	95.0	5.0	0.011	0.060	0.012
											135.0	140.0	5.0	0.007	0.350	0.012
											135.0	140.0	5.0	0.007	0.350	0.012
GA97-200	RC	1657949	20869112	5,920	400	35	-60	1997	Tombstone	GC	90.0	95.0	5.0	0.011	0.060	0.012
											135.0	140.0	5.0	0.007	0.350	0.012

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-201	RC	1658214	20868728	5,920	400	35	-60	1997	Tombstone	GC	20.0	25.0	5.0	0.116	0.140	0.118
											75.0	95.0	20.0	0.011	0.088	0.013
											125.0	130.0	5.0	0.009	0.320	0.014
GA97-202	RC	1658283	20868884	5,925	460	35	-60	1997	Tombstone	GC	35.0	45.0	10.0	0.007	0.320	0.011
											60.0	75.0	15.0	0.009	0.487	0.016
											110.0	115.0	5.0	0.026	0.070	0.027
											125.0	130.0	5.0	0.010	0.220	0.013
											150.0	165.0	15.0	0.021	0.190	0.024
											200.0	210.0	10.0	0.019	0.270	0.023
											240.0	255.0	15.0	0.011	0.150	0.013
305.0	395.0	90.0	0.024	0.364	0.029											
GA97-203	RC	1658339	20868966	5,930	420	35	-60	1997	Tombstone	GC	40.0	45.0	5.0	0.010	0.040	0.010
											60.0	65.0	5.0	0.005	0.480	0.012
											75.0	100.0	25.0	0.019	0.346	0.024
											120.0	220.0	100.0	0.025	0.163	0.027
											220.0	225.0	5.0	3.770	NA	3.770
											225.0	305.0	80.0	0.980	0.607	0.106
											320.0	325.0	5.0	0.010	19.000	0.013
345.0	360.0	15.0	0.190	3.008	0.233											
GA97-204	RC	1658451	20869134	5,936	400	35	-60	1997	Tombstone	GC	0.0	5.0	5.0	0.045	0.250	0.048
											20.0	205.0	185.0	0.009	0.459	0.016
GA97-205	RC	1658648	20869152	5,942	400	35	-60	1997	Tombstone	GC	130.0	135.0	5.0	0.012	0.000	0.012
											175.0	205.0	30.0	0.007	0.357	0.012
											245.0	265.0	20.0	0.025	0.240	0.280
GA97-206	RC	1658436	20868408	5,940	400	35	-60	1997	Tombstone		5.0	10.0	5.0	0.045	0.300	0.049
GA97-207	RC	1658687	20868850	5,969	600	35	-60	1997	Tombstone	GC	0.0	10.0	10.0	0.010	0.295	0.014
											85.0	90.0	5.0	0.009	0.190	0.011
											110.0	115.0	5.0	0.007	0.250	0.010
											215.0	300.0	85.0	0.031	0.395	0.037
											345.0	375.0	30.0	0.035	0.753	0.046
											440.0	465.0	25.0	0.029	2.032	0.058
565.0	570.0	5.0	0.009	0.060	0.018											
GA97-208	RC	1658921	20868394	5,984	440	35	-60	1997	Tombstone	GC	5.0	130.0	125.0	0.011	0.393	0.017
											150.0	155.0	5.0	0.007	0.200	0.010
											240.0	275.0	35.0	0.005	0.480	0.012
											380.0	395.0	15.0	0.008	0.367	0.013
GA97-209	RC	1658927	20868294	5,983	420	35	-60	1997	Tombstone	GC	75.0	80.0	5.0	0.017	0.150	0.019
											130.0	135.0	5.0	0.005	0.600	0.013

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-210	RC	1658877	20868082	5,986	460	35	-60	1997	Tombstone	GC	95.0	125.0	30.0	0.123	0.555	0.131
											190.0	200.0	10.0	0.009	0.265	0.013
											225.0	230.0	5.0	0.008	0.980	0.022
											225.0	230.0	5.0	0.015	0.080	0.016
											310.0	315.0	5.0	0.021	0.210	0.024
										355.0	460.0	105.0	0.033	0.663	0.043	
GA97-211	RC	1658801	20868762	5,995	600	35	-60	1997	Tombstone	GC	0.0	5.0	5.0	0.017	0.220	0.020
											25.0	30.0	5.0	0.035	0.150	0.037
											45.0	50.0	5.0	0.024	0.250	0.027
											65.0	105.0	40.0	0.013	0.274	0.017
											125.0	225.0	100.0	0.013	0.322	0.018
											245.0	465.0	220.0	0.020	0.333	0.024
										515.0	530.0	15.0	0.015	0.657	0.024	
										545.0	550.0	5.0	0.015	0.200	0.017	
GA97-212	RC	1659115	20868550	6,011	400	35	-60	1997	Tombstone	GC	180.0	200.0	20.0	0.006	0.475	0.013
											260.0	265.0	5.0	0.004	0.430	0.011
											345.0	350.0	5.0	0.004	0.670	0.014
GA97-213	RC	1659094	20867950	6,041	420	35	-60	1997	Tombstone	GC	0.0	55.0	55.0	0.041	1.157	0.057
											185.0	190.0	5.0	0.011	0.140	0.013
											215.0	220.0	5.0	0.010	0.690	0.019
											245.0	285.0	40.0	0.013	0.716	0.024
										380.0	390.0	10.0	0.018	0.145	0.020	
GA97-214	RC	1659360	20868204	6,090	500	35	-60	1997	Tombstone	GC	0.0	60.0	60.0	0.008	0.193	0.011
											135.0	360.0	225.0	0.016	0.345	0.020
GA97-215	RC	1659206	20868116	6,062	400	35	-60	1997	Tombstone	GC	0.0	95.0	95.0	0.015	0.185	0.017
											120.0	130.0	10.0	0.009	0.510	0.016
											140.0	145.0	5.0	0.008	0.180	0.010
											165.0	265.0	100.0	0.024	0.677	0.034
						275.0	290.0	15.0	0.010	1.453	0.031					
						315.0	325.0	10.0	0.014	1.835	0.040					
						340.0	350.0	10.0	0.005	0.985	0.019					
GA97-216	RC	1659288	20868058	6,092	400	18	-60	1997	Tombstone	GC	95.0	100.0	5.0	0.017	0.350	0.022
											125.0	215.0	90.0	0.022	0.231	0.025
											235.0	310.0	75.0	0.017	1.765	0.042
											320.0	325.0	5.0	0.005	0.450	0.011
						360.0	390.0	30.0	0.006	0.343	0.011					
GA97-217	RC	1659172	20867890	6,067	420	35	-60	1997	Tombstone	GC	5.0	10.0	5.0	0.006	0.360	0.011
											60.0	285.0	225.0	0.036	0.620	0.045
GA97-218	RC	1659024	20867734	6,047	400	35	-60	1997	Tombstone	GC	240.0	245.0	5.0	0.008	0.120	0.010

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-219	RC	1659069	20868456	6,010	420	35	-60	1997	Tombstone	GC	5.0	10.0	5.0	0.015	0.030	0.016
											155.0	195.0	40.0	0.007	0.430	0.013
											235.0	245.0	10.0	0.005	0.380	0.011
											275.0	280.0	5.0	0.006	0.680	0.015
											325.0	335.0	10.0	0.008	0.350	0.013
GA97-220	RC	1658981	20868646	6,011	400	35	-60	1997	Tombstone	GC	5.0	10.0	5.0	0.008	0.160	0.010
											20.0	25.0	5.0	0.009	0.220	0.120
											145.0	150.0	5.0	0.015	0.120	0.017
											170.0	270.0	100.0	0.010	0.381	0.016
											340.0	345.0	5.0	0.006	0.390	0.011
GA97-221	RC	1659106	20868616	5,997	440	35	-60	1997	Tombstone	GC	200.0	215.0	15.0	0.008	0.940	0.022
											310.0	315.0	5.0	0.002	0.710	0.012
											330.0	440.0	110.0	0.010	0.934	0.023
GA97-222	RC	1659486	20868526	6,040	400	35	-60	1997	Tombstone	GC	5.0	20.0	15.0	0.010	0.100	0.011
											90.0	95.0	5.0	0.035	0.160	0.038
											110.0	120.0	10.0	0.011	0.125	0.012
											165.0	225.0	60.0	0.008	0.405	0.014
											250.0	305.0	55.0	0.016	0.163	0.018
GA97-223	RC	1658502	20867630	5,965	400	35	-60	1997	Tombstone	No Significant Intercepts						
										320.0	345.0	25.0	0.039	0.290	0.043	
GA97-224	RC	1658675	20868240	5,955	400	35	-60	1997	Tombstone	No Significant Intercepts						
GA97-227	RC	1659570	20868204	6,112	600	35	-60	1997	Tombstone	GC	0.0	25.0	25.0	0.025	0.432	0.032
											45.0	50.0	5.0	0.012	0.140	0.014
											70.0	75.0	5.0	0.009	0.140	0.011
											90.0	100.0	10.0	0.015	0.205	0.018
											135.0	155.0	20.0	0.034	0.403	0.040
											180.0	200.0	20.0	0.010	0.073	0.011
GA97-228	RC	1659336	20867778	6,127	500	35	-60	1997	Tombstone	GC	210.0	250.0	40.0	0.014	0.358	0.019
											260.0	265.0	5.0	0.009	0.120	0.011
GA97-229	RC	1659509	20868384	6,082	500	54	-60	1997	Tombstone	GC	10.0	85.0	75.0	0.034	0.246	0.038
											115.0	125.0	10.0	0.017	0.095	0.019
											160.0	185.0	25.0	0.016	0.144	0.018
											215.0	220.0	5.0	0.022	0.030	0.023
GA97-230	RC	1659438	20868806	5,976	400	35	-60	1997	Tombstone	GC	395.0	400.0	5.0	0.013	0.030	0.013
											195.0	200.0	5.0	0.133	0.670	0.143
											230.0	245.0	15.0	0.032	0.377	0.038

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-231	RC	1659348	20868504	6,042	420	40	-60	1997	Tombstone	GC	15.0	25.0	10.0	0.018	0.160	0.021
											40.0	50.0	10.0	0.029	0.115	0.031
											90.0	95.0	5.0	0.009	0.060	0.010
											110.0	175.0	65.0	0.025	0.175	0.027
											190.0	300.0	110.0	0.009	0.499	0.016
											310.0	315.0	5.0	0.008	0.200	0.010
											325.0	380.0	55.0	0.012	0.514	0.020
400.0	405.0	5.0	0.009	0.300	0.013											
GA97-232	RC	1659233	20868334	6,057	400	35	-60	1997	Tombstone	GC	0.0	120.0	120.0	0.017	0.170	0.020
											140.0	150.0	10.0	0.008	0.250	0.010
											175.0	190.0	15.0	0.012	0.143	0.014
											375.0	380.0	5.0	0.008	0.250	0.011
GA97-233	RC	1659292	20868418	6,053	400	35	-60	1997	Tombstone	GC	0.0	35.0	35.0	0.059	0.184	0.062
											45.0	50.0	5.0	0.012	0.019	0.062
											65.0	80.0	15.0	0.008	0.243	0.012
											90.0	145.0	55.0	0.016	0.189	0.019
											325.0	355.0	30.0	0.013	0.528	0.021
GA97-234	RC	1658916	20867938	6,019	400	35	-60	1997	Tombstone	GC	60.0	115.0	55.0	0.019	0.239	0.022
											145.0	160.0	15.0	0.026	0.187	0.029
											325.0	330.0	5.0	0.043	0.150	0.045
GA97-235	RC	1659326	20868638	6,008	450	35	-60	1997	Tombstone	GC	155.0	175.0	20.0	0.011	0.753	0.022
											195.0	220.0	25.0	0.011	0.330	0.016
											240.0	245.0	5.0	0.009	0.480	0.016
											255.0	260.0	5.0	0.007	0.310	0.012
											295.0	310.0	15.0	0.014	0.910	0.027
											395.0	400.0	5.0	0.006	0.330	0.011
											415.0	420.0	5.0	0.008	0.400	0.014
GA97-241	RC	1659103	20868672	5,997	500	35	-60	1997	Tombstone	GC	5.0	10.0	5.0	0.014	0.020	0.014
											205.0	255.0	50.0	0.007	0.716	0.017
											265.0	280.0	15.0	0.006	0.797	0.017
											360.0	415.0	55.0	0.007	0.706	0.017
											450.0	475.0	25.0	0.034	0.390	0.040
											490.0	500.0	10.0	0.045	0.935	0.058
GA97-243	RC	1658689	20868598	5,974	400	35	-60	1997	Tombstone	GC	0.0	10.0	10.0	0.010	0.205	0.013
											45.0	230.0	185.0	0.015	0.263	0.019
											360.0	365.0	5.0	0.008	0.220	0.011

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-244	RC	1658585	20868798	5,961	420	35	-60	1997	Tombstone	GC	5.0	15.0	10.0	0.009	0.145	0.011
											40.0	85.0	45.0	0.009	0.396	0.014
											110.0	115.0	5.0	0.005	0.360	0.010
											125.0	130.0	5.0	0.009	0.330	0.013
											150.0	185.0	35.0	0.018	0.263	0.022
											265.0	275.0	10.0	0.008	0.460	0.015
GA97-245	RC	1658525	20868714	5,953	400	35	-60	1997	Tombstone	GC	345.0	405.0	60.0	0.063	0.523	0.071
											60.0	80.0	20.0	0.012	0.798	0.023
											100.0	135.0	35.0	0.006	0.397	0.012
											150.0	155.0	5.0	0.009	0.130	0.011
											185.0	190.0	5.0	0.021	0.120	0.022
											220.0	230.0	10.0	0.012	0.075	0.013
GA97-246	RC	1658835	20868984	5,951	600	35	-60	1997	Tombstone	GC	245.0	260.0	15.0	0.016	0.257	0.019
											270.0	275.0	5.0	0.010	0.220	0.013
											280.0	285.0	5.0	0.007	0.350	0.012
											300.0	305.0	5.0	0.009	0.410	0.015
											25.0	30.0	5.0	0.021	0.110	0.022
											40.0	45.0	5.0	0.016	0.100	0.016
GA97-248	RC	1658638	20868020	5,985	400	35	-60	1997	Tombstone	GC	85.0	95.0	10.0	0.005	0.415	0.011
											115.0	140.0	25.0	0.009	0.298	0.014
											155.0	175.0	20.0	0.007	0.443	0.013
											220.0	290.0	70.0	0.008	0.588	0.016
											400.0	405.0	5.0	0.014	0.500	0.021
											35.0	45.0	10.0	0.042	0.110	0.044
GA97-249	RC	1659658	20868772	5,978	400	35	-60	1997	Tombstone	GC	40.0	65.0	25.0	0.012	0.038	0.013
											85.0	90.0	5.0	0.016	0.020	0.016
											135.0	165.0	30.0	0.011	0.112	0.012
GA97-250	RC	1659877	20868738	5,983	400	35	-60	1997	Tombstone	GC	185.0	200.0	15.0	0.009	0.173	0.011
											90.0	100.0	10.0	0.013	0.100	0.014
											95.0	110.0	15.0	0.015	0.043	0.016
GA97-251	RC	1659929	20868390	6,019	500	35	-60	1997	Tombstone	GC	120.0	125.0	5.0	0.016	0.050	0.017
											155.0	170.0	15.0	0.014	0.157	0.016
											75.0	80.0	5.0	0.012	0.040	0.013
GA97-252	RC	1660153	20868786	5,995	400	35	-60	1997	Tombstone				No Significant Intercepts			
GA97-253	RC	1659829	20869016	5,981	500	35	-60	1997	Tombstone		85.0	90.0	5.0	0.011	0.010	0.011
GA97-254	RC	1659501	20867186	6,139	500	35	-60	1997	Tombstone				No Significant Intercepts			
GA97-255	RC	1659384	20867500	6,135	500	33	-60	1997	Tombstone				No Significant Intercepts			

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-259	RC	1660260	20867368	6,209	500	35	-60	1997	Tombstone		275.0	280.0	5.0	0.016	0.040	0.016
											290.0	295.0	5.0	0.036	0.040	0.037
											320.0	325.0	5.0	0.011	0.100	0.012
											345.0	350.0	5.0	0.056	0.130	0.058
											375.0	390.0	15.0	0.014	0.070	0.015
400.0	415.0	15.0	0.010	0.070	0.011											
GA97-260	RC	1659820	20867432	6,254	500	35	-60	1997	Tombstone		90.0	95.0	5.0	0.006	0.480	0.013
											140.0	150.0	10.0	0.008	0.270	0.012
											335.0	340.0	5.0	0.008	0.140	0.010
GA97-261	RC	1659936	20867596	6,258	500	35	-60	1997	Tombstone		265.0	270.0	5.0	0.015	0.070	0.016
											375.0	380.0	5.0	0.013	0.000	0.013
GA97-262	RC	1659772	20867712	6,232	500	35	-60	1997	Tombstone		5.0	10.0	5.0	0.009	0.100	0.011
											35.0	45.0	10.0	0.015	0.060	0.016
GA97-263	RC	1659608	20867826	6,195	500	35	-60	1997	Tombstone	GC	10.0	50.0	40.0	0.008	0.278	0.012
											180.0	200.0	20.0	0.011	0.723	0.021
											310.0	315.0	5.0	0.011	0.040	0.012
											370.0	375.0	5.0	0.048	0.060	0.049
											390.0	395.0	5.0	0.009	0.050	0.010
GA97-264	RC	1658826	20867406	5,998	400	35	-60	1997	Tombstone		No Significant Intercepts					
GA97-265	RC	1659400	20868222	6,122	380	35	-60	1997	Tombstone	GC	20.0	25.0	5.0	0.018	0.320	0.023
											60.0	155.0	95.0	0.011	0.327	0.016
											185.0	245.0	60.0	0.018	0.522	0.025
											255.0	345.0	90.0	0.027	0.343	0.032
											355.0	365.0	10.0	0.014	0.250	0.018
GA97-266	RC	1659222	20868126	6,062	400	0	-90	1997	Tombstone	GC	0.0	100.0	100.0	0.009	0.245	0.013
											115.0	120.0	5.0	0.010	0.390	0.016
											145.0	150.0	5.0	0.026	0.200	0.029
											160.0	225.0	65.0	0.008	0.516	0.015
											260.0	290.0	30.0	0.033	0.728	0.043
											320.0	325.0	5.0	0.014	0.110	0.015
GA97-267	RC	1658841	20868122	6,021	400	0	-90	1997	Tombstone	GC	15.0	20.0	5.0	0.005	0.860	0.017
											40.0	45.0	5.0	0.005	0.500	0.012
											50.0	55.0	5.0	0.005	0.750	0.015
											70.0	75.0	5.0	0.008	0.120	0.010
											100.0	110.0	10.0	0.007	0.740	0.017
											160.0	185.0	25.0	0.011	0.544	0.019
205.0	250.0	45.0	0.030	0.724	0.041											



**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA97-268	RC	1659371	20868362	6,085	400	0	-90	1997	Tombstone	GC	45.0	50.0	5.0	0.011	0.330	0.016
											65.0	70.0	5.0	0.012	0.110	0.013
											115.0	120.0	5.0	0.011	0.190	0.013
											135.0	190.0	55.0	0.009	0.165	0.011
											205.0	220.0	15.0	0.020	0.223	0.023
											230.0	245.0	15.0	0.011	0.473	0.018
255.0	335.0	80.0	0.018	0.751	0.029											
GA97-269	RC	1658866	20869476	5,951	600	35	-60	1997	Tombstone	GC	205.0	210.0	5.0	0.013	0.010	0.014
GA97-270	RC	1658552	20869790	5,927	600	35	-60	1997	Tombstone	GC	385.0	390.0	5.0	0.003	0.580	0.011
											570.0	575.0	5.0	0.011	0.060	0.012
GA97-276	RC	1659248	20868054	6,079	300	0	-90	1997	Tombstone	GC	20.0	25.0	5.0	0.009	0.120	0.011
											60.0	105.0	45.0	0.015	0.270	0.019
											155.0	225.0	70.0	0.023	0.762	0.034
											250.0	260.0	10.0	0.045	0.105	0.046
											270.0	275.0	5.0	0.038	0.990	0.052
GA03-277	RC	1658333	20868974	5,928	370	35	-60	2003	Pacific Ridge	GC	70.0	75.0	5.0	0.010	0.000	0.010
											95.0	105.0	10.0	0.012	0.339	0.019
											130.0	170.0	40.0	0.037	0.128	0.039
											180.0	185.0	5.0	0.013	0.000	0.013
											200.0	350.0	150.0	0.052	0.441	0.060
GA03-278	RC	1658379	20869028	5,927	330	35	-60	2003	Pacific Ridge	GC	100.0	160.0	60.0	0.021	0.214	0.024
											175.0	225.0	50.0	0.015	0.286	0.019
											250.0	265.0	15.0	0.023	0.331	0.028
											275.0	290.0	15.0	0.075	0.351	0.080
GA03-279	RC	1658221	20868920	5,927	480	35	-50	2003	Pacific Ridge	GC	15.0	20.0	5.0	0.013	0.000	0.013
											85.0	105.0	20.0	0.016	0.483	0.023
											125.0	130.0	5.0	0.069	0.000	0.069
											175.0	330.0	155.0	0.019	0.155	0.022
											370.0	380.0	10.0	0.008	0.443	0.014
											430.0	435.0	5.0	0.041	2.359	0.075
GA03-280	RC	1658267	20868994	5,931	410	35	-50	2003	Pacific Ridge	GC	105.0	235.0	130.0	0.033	0.301	0.038
											295.0	300.0	5.0	0.014	0.000	0.014
											345.0	380.0	35.0	0.012	0.163	0.014

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA03-281	RC	1658096	20868770	5,919	750	35	-50	2003	Pacific Ridge	GC	90.0	95.0	5.0	0.019	0.000	0.019
											215.0	220.0	5.0	0.006	0.253	0.010
											285.0	290.0	5.0	0.066	0.159	0.068
											305.0	315.0	10.0	0.025	0.052	0.025
											410.0	415.0	5.0	0.037	0.000	0.037
											430.0	435.0	5.0	0.008	0.342	0.013
											475.0	540.0	65.0	0.016	0.200	0.018
											610.0	620.0	10.0	0.235	2.332	0.269
											630.0	650.0	20.0	0.040	0.313	0.044
720.0	725.0	5.0	0.017	0.151	0.019											
GA03-282	RC	1658162	20868974	5,926	500	35	-50	2003	Pacific Ridge	GC	130.0	135.0	5.0	0.010	0.173	0.013
											260.0	280.0	20.0	0.036	0.103	0.037
											370.0	375.0	5.0	0.009	0.437	0.016
											425.0	430.0	5.0	0.013	0.000	0.013
											460.0	465.0	5.0	0.009	0.149	0.011
GA03-283	RC	1658217	20868780	5,922	650	35	-60	2003	Pacific Ridge	GC	25.0	30.0	5.0	0.018	0.000	0.018
											55.0	80.0	25.0	0.022	0.234	0.026
											145.0	150.0	5.0	0.006	0.413	0.011
											170.0	175.0	5.0	0.008	0.176	0.010
											215.0	220.0	5.0	0.030	0.000	0.030
											435.0	440.0	5.0	0.012	0.417	0.018
											455.0	545.0	90.0	0.049	0.587	0.057
575.0	630.0	55.0	0.013	0.548	0.020											
GA03-284	RC	1658472	20868606	5,948	805	35	-60	2003	Pacific Ridge	GC	60.0	65.0	5.0	0.017	0.000	0.017
											120.0	125.0	5.0	0.013	0.000	0.013
											135.0	140.0	5.0	0.011	0.000	0.011
											150.0	155.0	5.0	0.015	0.419	0.021
											250.0	255.0	5.0	0.036	0.000	0.036
											575.0	580.0	5.0	0.004	0.390	0.010
											605.0	630.0	25.0	0.012	0.174	0.014
											660.0	725.0	65.0	0.043	0.264	0.047
780.0	785.0	5.0	0.014	0.344	0.019											
GA03-285	RC	1661831	20867044	6,073	350	196	-45	2003	Pacific Ridge		165.0	170.0	5.0	0.010	0.000	0.010
GA03-286	RC	1660168	20868342	6,005	475	215	-45	2003	Pacific Ridge	GC	150.0	155.0	5.0	0.014	0.000	0.014
											200.0	205.0	5.0	0.011	0.000	0.011

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA03-287	RC	1658115	20868622	5,916	1,040	35	-60	2003	Pacific Ridge	GC	80.0	85.0	5.0	0.012	0.085	0.014
											165.0	175.0	10.0	0.015	0.159	0.017
											655.0	660.0	5.0	0.011	0.044	0.011
											675.0	680.0	5.0	0.012	0.105	0.014
											745.0	765.0	20.0	0.018	0.241	0.021
											805.0	810.0	5.0	0.012	0.082	0.013
975.0	980.0	5.0	0.065	2.132	0.095											
GA03-288	RC	1658050	20868908	5,920	320	35	-60	2003	Pacific Ridge	GC	No Significant Intercepts					
GA03-288A	RC	1658044	20868902	5,919	700	35	-60	2003	Pacific Ridge	GC	300.0	305.0	5.0	0.035	0.000	0.035
											400.0	405.0	5.0	0.027	0.000	0.027
											425.0	430.0	5.0	0.016	0.000	0.016
											480.0	530.0	50.0	0.016	0.000	0.016
											565.0	620.0	55.0	0.100	0.000	0.100
											640.0	645.0	5.0	0.019	0.000	0.019
											655.0	665.0	10.0	0.014	0.000	0.014
680.0	685.0	5.0	0.010	0.000	0.010											
695.0	700.0	5.0	0.012	0.000	0.012											
GA03-289	RC	1657879	20868788	5,915	1,030	35	-60	2003	Pacific Ridge	GC	95.0	100.0	5.0	0.013	0.047	0.013
											380.0	385.0	5.0	0.006	0.230	0.010
											415.0	425.0	10.0	0.008	0.375	0.013
											605.0	615.0	10.0	0.014	0.134	0.016
											630.0	660.0	30.0	0.016	0.630	0.024
											675.0	740.0	65.0	0.019	0.380	0.025
870.0	875.0	5.0	0.011	0.041	0.011											
GA03-290	RC	1657630	20868978	5,908	975	35	-75	2003	Pacific Ridge		130.0	135.0	5.0	0.013	0.052	0.014
											235.0	240.0	5.0	0.011	0.052	0.011
											290.0	295.0	5.0	0.010	0.015	0.010
											795.0	800.0	5.0	0.020	0.061	0.021

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA03-291	RC	1657937	20868580	5,906	1,136	35	-52	2003	Pacific Ridge		275.0	280.0	5.0	0.009	0.070	0.010
											335.0	355.0	20.0	0.060	0.197	0.063
											370.0	375.0	5.0	0.004	0.379	0.010
											395.0	400.0	5.0	0.015	0.044	0.015
											460.0	465.0	5.0	0.009	0.099	0.010
											565.0	570.0	5.0	0.015	1.660	0.039
											615.0	620.0	5.0	0.012	0.090	0.014
											670.0	835.0	165.0	0.046	0.259	0.049
											850.0	855.0	5.0	0.011	0.096	0.012
											880.0	890.0	10.0	0.015	0.034	0.016
											900.0	915.0	15.0	0.022	0.055	0.022
1061.0	1066.0	5.0	0.011	0.038	0.012											
1106.0	1111.0	5.0	0.009	0.120	0.011											
GA03-292	RC	1659354	20868304	6,093	905	35	-70	2003	Pacific Ridge	GC	10.0	20.0	10.0	0.010	0.082	0.011
											120.0	140.0	20.0	0.008	0.214	0.011
											160.0	170.0	10.0	0.017	0.133	0.019
											180.0	185.0	5.0	0.010	0.131	0.012
											195.0	205.0	10.0	0.012	0.455	0.019
											225.0	345.0	120.0	0.009	0.278	0.013
											360.0	365.0	5.0	0.009	0.204	0.012
											760.0	765.0	5.0	0.005	0.420	0.011
825.0	830.0	5.0	0.007	0.347	0.012											
GA03-293	RC	1658684	20870950	5,917	260	305	-61	2003	Pacific Ridge	HH	255.0	260.0	5.0	0.027	0.047	0.028
GA04-293A	RC	1658684	20870950	5,917	750	305	-61	2004	Pacific Ridge	HH	260.0	295.0	35.0	0.017	0.105	0.019
											315.0	320.0	5.0	0.010	0.044	0.011
											335.0	510.0	175.0	0.033	1.164	0.050
											520.0	525.0	5.0	0.009	0.187	0.011
											555.0	570.0	15.0	0.015	0.699	0.025
											585.0	605.0	20.0	0.011	0.303	0.026
630.0	685.0	55.0	0.007	0.320	0.012											
GA04-294	RC	1658601	20870696	5,922	700	305	-66	2004	Pacific Ridge	HH	325.0	330.0	5.0	0.016	0.070	0.017
GA04-295	RC	1662038	20864464	6,200	500	275	-45	2004	Pacific Ridge		No Significant Intercepts					
GA04-296	RC	1661739	20865332	6,141	455	0	-45	2004	Pacific Ridge		No Significant Intercepts					

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA04-297	RC	1659351	20868304	6,090	800	55	-65	2004	Pacific Ridge	GC	5.0	15.0	10.0	0.014	0.141	0.016
											70.0	75.0	5.0	0.010	0.178	0.013
											80.0	100.0	20.0	0.007	0.201	0.010
											125.0	205.0	80.0	0.018	0.283	0.022
											225.0	230.0	5.0	0.008	0.201	0.010
											240.0	245.0	5.0	0.010	0.079	0.011
											280.0	285.0	5.0	0.009	0.260	0.013
											305.0	315.0	10.0	0.014	0.096	0.015
											325.0	330.0	5.0	0.011	0.146	0.013
											360.0	430.0	70.0	0.022	0.071	0.023
											510.0	515.0	5.0	0.005	0.435	0.011
545.0	555.0	10.0	0.009	0.340	0.014											
645.0	650.0	5.0	0.009	0.426	0.015											
GA04-298	RC	1659011	20871586	5,907	480	250	-50	2004	Pacific Ridge				No Significant Intercepts			
GA04-299	RC	1659015	20871582	5,907	600	215	-50	2004	Pacific Ridge				No Significant Intercepts			
GA04-300	RC	1659034	20871586	5,909	860	182	-70	2004	Pacific Ridge				No Significant Intercepts			
GA04-301	RC	1659088	20868144	6,020	750	35	-70	2004	Pacific Ridge	GC	10.0	30.0	20.0	0.007	0.419	0.013
											45.0	55.0	10.0	0.010	0.261	0.014
											80.0	85.0	5.0	0.012	0.184	0.015
											185.0	190.0	5.0	0.005	0.470	0.012
											270.0	280.0	10.0	0.002	0.513	0.010
											300.0	310.0	10.0	0.005	0.487	0.011
											330.0	400.0	70.0	0.014	1.279	0.032
											435.0	500.0	65.0	0.006	0.396	0.011
											535.0	575.0	40.0	0.033	0.595	0.338
											590.0	600.0	10.0	0.017	0.111	0.018
											690.0	695.0	5.0	0.010	0.096	0.011
725.0	735.0	10.0	0.021	0.073	0.023											
745.0	750.0	5.0	0.014	0.064	0.015											
GA04-302	RC	1659351	20871910	5,908	660	270	-50	2004	Pacific Ridge				No Significant Intercepts			
GA04-303	RC	1656135	20871176	5,847	500	270	-50	2004	Pacific Ridge				No Significant Intercepts			
GA04-304	RC	1659804	20871156	5,932	500	270	-50	2004	Pacific Ridge				No Significant Intercepts			
GA08-305	RC	1659502	20868048	6,146	500	0	-90	2008	Nevada Sunrise Gold Corp.	GC	5.0	20.0	15.0	0.030	0.163	0.033
											40.0	160.0	120.0	0.014	0.149	0.016
											175.0	185.0	10.0	0.010	0.233	0.014
											210.0	215.0	5.0	0.011	0.134	0.013
											225.0	230.0	5.0	0.006	0.309	0.010
											245.0	305.0	60.0	0.055	0.611	0.064
											375.0	380.0	5.0	0.019	0.128	0.021

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA08-306	RC	1658663	20867524	5,979	550	32	-50	2008	Nevada Sunrise Gold Corp.		60.0	65.0	5.0	0.012	0.003	0.012
											155.0	160.0	5.0	0.015	0.015	0.015
											485.0	490.0	5.0	0.011	0.023	0.012
GA08-307	RC	1659235	20867986	6,056	550	36	-50	2008	Nevada Sunrise Gold Corp.	GC	50.0	90.0	40.0	0.011	0.195	0.014
											110.0	145.0	35.0	0.012	0.200	0.015
											190.0	195.0	5.0	0.009	0.099	0.010
											200.0	205.0	5.0	0.019	0.137	0.020
											240.0	350.0	110.0	0.135	2.210	0.166
											415.0	420.0	5.0	0.015	0.292	0.019
											430.0	435.0	5.0	0.006	0.385	0.012
											445.0	450.0	5.0	0.067	0.073	0.068
485.0	490.0	5.0	0.006	0.332	0.011											
500.0	505.0	5.0	0.012	0.029	0.012											
GA08-308	RC	1658876	20868238	5,974	400	0	-90	2008	Nevada Sunrise Gold Corp.	GC	120.0	125.0	5.0	0.021	0.542	0.029
											245.0	255.0	10.0	0.015	0.560	0.023
											265.0	270.0	5.0	0.038	0.755	0.049
GA08-309	RC	1659110	20868376	6,017	600	0	-90	2008	Nevada Sunrise Gold Corp.	GC	0.0	115.0	115.0	0.017	0.029	0.021
											145.0	150.0	5.0	0.017	0.265	0.020
											195.0	280.0	85.0	0.008	0.781	0.019
											430.0	440.0	10.0	0.003	1.140	0.019
											480.0	485.0	5.0	0.006	0.636	0.015
											495.0	550.0	55.0	0.018	0.720	0.028
565.0	570.0	5.0	0.008	0.537	0.015											
GA08-310	RC	1658966	20868600	6,008	550	0	-90	2008	Nevada Sunrise Gold Corp.	GC	100.0	175.0	75.0	0.009	0.338	0.015
											195.0	200.0	5.0	0.007	0.286	0.011
											235.0	250.0	15.0	0.010	0.714	0.020
											325.0	360.0	35.0	0.008	0.461	0.015
											460.0	470.0	10.0	0.071	0.290	0.075
GA08-311	DDH	1658534	20868988	5,939	700	0	-90	2008	Nevada Sunrise Gold Corp.	GC	0.0	178.5	178.5	0.038	0.555	0.046
											254.0	312.0	58.0	0.084	1.138	0.100
											331.0	365.5	34.5	0.010	0.291	0.014
											402.0	420.5	18.5	0.287	1.825	0.313
											430.0	439.0	9.0	0.078	0.564	0.086
457.0	474.5	17.5	0.010	0.240	0.014											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA08-312	DDH	1658791	20868744	5,993	700	15	-88	2008	Nevada Sunrise Gold Corp.	GC	11.5	21.0	9.5	0.011	0.189	0.013
											36.0	40.5	4.5	0.015	0.175	0.018
											50.0	54.0	4.0	0.011	0.175	0.014
											84.0	235.0	151.0	0.011	0.228	0.014
											263.0	285.0	22.0	0.007	0.707	0.017
											339.0	369.5	30.5	0.011	0.122	0.012
											384.0	388.0	4.0	0.030	0.087	0.032
											598.5	602.5	4.0	0.016	1.137	0.032
											611.0	620.0	9.0	0.028	2.197	0.060
											629.0	661.0	32.0	0.015	0.552	0.023
673.0	698.5	25.5	0.009	0.172	0.011											
GA08-313	DDH	1658372	20871064	5,908	1,000	35	-80	2008	Nevada Sunrise Gold Corp.	HH	108.5	114.0	5.5	0.013	0.175	0.015
											127.0	135.0	8.0	0.014	0.379	0.019
											139.0	166.0	27.0	0.020	0.567	0.028
											184.0	195.0	11.0	0.105	0.395	0.110
											208.0	224.0	16.0	0.007	0.443	0.014
											263.5	300.5	37.0	0.010	0.851	0.022
											314.5	319.0	4.5	0.005	0.408	0.011
											351.0	356.0	5.0	0.007	0.496	0.014
											424.5	440.0	15.5	0.009	0.957	0.022
											464.0	485.0	21.0	0.007	0.304	0.011
											504.0	590.0	86.0	0.060	1.790	0.086
											609.0	649.0	40.0	0.007	0.810	0.018
											658.0	663.0	5.0	0.012	0.146	0.014
											673.3	682.0	8.7	0.007	0.680	0.017
707.0	711.0	4.0	0.012	0.175	0.014											
731.0	737.0	6.0	0.009	0.146	0.011											
741.0	746.0	5.0	0.007	0.233	0.010											
784.0	789.0	5.0	0.017	0.233	0.020											
815.0	819.0	4.0	0.011	0.204	0.014											
842.5	851.0	8.5	0.011	0.532	0.019											
GA08-314	DDH	1658640	20871248	5,904	686	215	-50	2008	Nevada Sunrise Gold Corp.	HH	267.0	462.0	195.0	0.033	0.744	0.044
											478.0	483.5	5.5	0.019	0.612	0.027
											500.0	591.9	91.9	0.085	0.785	0.096
											619.5	625.0	5.5	0.021	0.262	0.025

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA08-315	DDH	1659374	20868304	6,095	498	225	-75	2008	Nevada Sunrise Gold Corp.	GC	74.0	83.0	9.0	0.017	0.347	0.022
											102.0	123.0	21.0	0.008	0.217	0.011
											132.0	185.0	53.0	0.016	0.340	0.021
											204.0	208.0	4.0	0.020	0.437	0.025
											226.0	244.0	18.0	0.030	0.321	0.034
											256.0	336.0	80.0	0.035	1.147	0.052
											359.0	363.5	4.5	0.008	0.583	0.016
											455.5	460.0	4.5	0.004	0.933	0.017
GA08-316	RC	1658831	20868582	5,991	600	0	-90	2008	Nevada Sunrise Gold Corp.	GC	10.0	15.0	5.0	0.012	0.236	0.016
											25.0	30.0	5.0	0.015	0.050	0.016
											40.0	80.0	40.0	0.015	0.192	0.017
											90.0	105.0	15.0	0.018	0.077	0.019
											120.0	125.0	5.0	0.017	0.055	0.017
											135.0	155.0	20.0	0.010	0.363	0.016
											345.0	350.0	5.0	0.042	0.114	0.043
GA08-317	RC	1658740	20869038	5,941	500	0	-90	2008	Nevada Sunrise Gold Corp.	GC	115.0	200.0	85.0	0.008	0.661	0.018
											225.0	235.0	10.0	0.009	0.338	0.014
											245.0	310.0	65.0	0.018	1.034	0.033
											345.0	350.0	5.0	0.013	0.152	0.015
											370.0	375.0	5.0	0.112	0.615	0.120
GA08-318	RC	1659090	20868820	5,969	600	0	-90	2008	Nevada Sunrise Gold Corp.	GC	180.0	255.0	75.0	0.005	0.448	0.012
											325.0	330.0	5.0	0.005	0.382	0.010
											415.0	440.0	25.0	0.007	0.519	0.014
											470.0	475.0	5.0	0.024	0.303	0.028
											495.0	540.0	45.0	0.010	0.264	0.014
											560.0	585.0	25.0	0.040	7.787	0.066
											595.0	600.0	5.0	0.008	0.688	0.018
GA08-319	RC	1658990	20868854	5,969	600	0	-90	2008	Nevada Sunrise Gold Corp.	GC	0.0	5.0	5.0	0.011	0.047	0.012
											35.0	40.0	5.0	0.014	0.064	0.015
											65.0	85.0	20.0	0.016	0.197	0.019
											110.0	115.0	5.0	0.005	0.362	0.010
											125.0	135.0	10.0	0.006	0.439	0.012
											150.0	165.0	15.0	0.012	0.230	0.016
											175.0	215.0	40.0	0.009	0.344	0.014
											230.0	250.0	20.0	0.005	0.445	0.012
470.0	565.0	95.0	0.023	0.495	0.030											
GA08-320	RC	1659807	20868954	5,979	500	0	-90	2008	Nevada Sunrise Gold Corp.				No Significant Intercepts			



**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA08-321	RC	1659452	20868664	5,997	500	0	-90	2008	Nevada Sunrise Gold Corp.	GC	15.0	20.0	5.0	0.003	0.551	0.011
											55.0	110.0	55.0	0.010	0.397	0.016
											180.0	185.0	5.0	0.008	0.295	0.013
											245.0	295.0	50.0	0.020	1.136	0.036
											380.0	395.0	15.0	0.003	0.617	0.012
											435.0	445.0	10.0	0.006	0.805	0.018
480.0	485.0	5.0	0.014	0.254	0.017											
GA08-322	RC	1658819	20869132	5,945	665	0	-90	2008	Nevada Sunrise Gold Corp.	GC	80.0	85.0	5.0	0.010	0.035	0.011
											155.0	160.0	5.0	0.005	0.365	0.010
											175.0	185.0	10.0	0.005	0.401	0.011
											205.0	235.0	30.0	0.007	0.500	0.014
											450.0	455.0	5.0	0.029	0.347	0.034
											470.0	475.0	5.0	0.047	0.009	0.047
GA08-323	RC	1658971	20868998	5,950	500	215	-65	2008	Nevada Sunrise Gold Corp.	GC	70.0	75.0	5.0	0.040	0.120	0.042
											130.0	210.0	80.0	0.025	0.426	0.031
											220.0	225.0	5.0	0.006	0.443	0.012
											240.0	245.0	5.0	0.009	0.236	0.013
											325.0	500.0	175.0	0.054	0.766	0.065
GA08-324	RC	1658859	20869026	5,946	800	0	-90	2008	Nevada Sunrise Gold Corp.	GC	45.0	50.0	5.0	0.013	0.003	0.013
											115.0	170.0	55.0	0.008	0.417	0.014
											190.0	290.0	100.0	0.010	0.364	0.015
											305.0	310.0	5.0	0.010	0.467	0.017
											315.0	320.0	5.0	0.013	0.038	0.013
											350.0	355.0	5.0	0.006	0.531	0.014
455.0	460.0	5.0	0.011	0.190	0.014											
GA08-325	RC	1658235	20869202	5,928	400	35	-60	2008	Nevada Sunrise Gold Corp.	GC	115.0	120.0	5.0	0.011	0.251	0.014
											130.0	145.0	15.0	0.015	0.563	0.023
											285.0	305.0	20.0	0.007	0.246	0.011
GA08-326	RC	1657922	20867592	5,929	755	35	-60	2008	Nevada Sunrise Gold Corp.		645.0	650.0	5.0	0.017	0.029	0.018
GA08-327	RC	1657898	20867246	5,936	800	35	-60	2008	Nevada Sunrise Gold Corp.		195.0	200.0	5.0	0.115	0.242	0.118
											215.0	220.0	5.0	0.010	0.029	0.010
GA08-328	RC	1658645	20866278	5,986	800	125	-60	2008	Nevada Sunrise Gold Corp.					No Significant Intercepts		
GA08-329	RC	1658346	20865552	5,987	800	125	-60	2008	Nevada Sunrise Gold Corp.					No Significant Intercepts		
GA08-330	RC	1656197	20861820	5,989	455	124	-60	2008	Nevada Sunrise Gold Corp.					No Significant Intercepts		
GA08-331	RC	1656362	20861726	5,999	645	125	-75	2008	Nevada Sunrise Gold Corp.					No Significant Intercepts		

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA08-332	RC	1658574	20870924	5,915	600	0	-90	2008	Nevada Sunrise Gold Corp.	HH	285.0	290.0	5.0	0.011	0.227	0.015
											325.0	400.0	75.0	0.045	1.384	0.065
											410.0	415.0	5.0	0.011	0.321	0.016
											425.0	470.0	45.0	0.043	0.845	0.055
											480.0	490.0	10.0	0.013	0.159	0.016
											525.0	535.0	10.0	0.013	0.468	0.015
GA08-333	RC	1658494	20871260	5,904	700	0	-90	2008	Nevada Sunrise Gold Corp.	HH	175.0	180.0	5.0	0.011	0.052	0.011
											190.0	195.0	5.0	0.009	0.050	0.010
											225.0	235.0	10.0	0.112	0.073	0.113
											260.0	305.0	45.0	0.017	0.257	0.020
											325.0	405.0	80.0	0.063	0.561	0.071
											435.0	500.0	65.0	0.004	0.907	0.050
GA08-334	RC	1658433	20871344	5,902	710	0	-90	2008	Nevada Sunrise Gold Corp.	HH	220.0	225.0	5.0	0.013	0.077	0.014
											280.0	285.0	5.0	0.008	1.044	0.023
											425.0	515.0	90.0	0.024	0.344	0.029
											535.0	540.0	5.0	0.009	0.134	0.010
											555.0	600.0	45.0	0.019	1.594	0.042
											695.0	700.0	5.0	0.004	0.468	0.010
GA08-335	RC	1658268	20871086	5,905	600	0	-90	2008	Nevada Sunrise Gold Corp.	HH	140.0	145.0	5.0	0.010	0.820	0.012
											160.0	165.0	5.0	0.038	0.338	0.043
											180.0	220.0	40.0	0.032	0.216	0.035
											295.0	310.0	15.0	0.032	0.240	0.035
											345.0	365.0	20.0	0.017	0.201	0.019
											510.0	515.0	5.0	0.005	0.551	0.013
GA08-336	RC	1658630	20870840	5,918	600	0	-90	2008	Nevada Sunrise Gold Corp.	HH	200.0	230.0	30.0	0.020	0.018	0.021
											300.0	410.0	110.0	0.064	1.986	0.092
											445.0	470.0	25.0	0.006	1.091	0.021
											515.0	530.0	15.0	0.011	1.684	0.035
											545.0	600.0	55.0	0.012	0.869	0.024
GA08-337	RC	1658528	20871490	5,895	600	0	-90	2008	Nevada Sunrise Gold Corp.	HH	320.0	325.0	5.0	0.012	0.367	0.018
											335.0	460.0	125.0	0.033	0.458	0.039
											470.0	485.0	15.0	0.033	0.338	0.038
											495.0	500.0	5.0	0.025	0.295	0.029
											510.0	515.0	5.0	0.013	0.064	0.014
555.0	600.0	45.0	0.015	0.167	0.017											

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA10-338	DDH	1661860	20867068	6,050	1,005	215	-70	2010	Animas Resources		335.0	350.0	15.0	0.120	0.000	0.120
											355.0	365.0	10.0	0.015	0.000	0.015
											387.0	592.0	205.0	0.011	0.000	0.011
GA10-339	RC	1656177	20871548	5,833	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-340	RC	1659739	20871930	5,896	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-341	RC	1658170	20873164	5,840	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-342	DDH	1660358	20866388	6,033	1,000	35	-70	2010	Animas Resources		220.0	225.0	5.0	0.011	0.000	0.011
GA10-343	RC	1661840	20867066	6,050	900	35	-70	2010	Animas Resources		150.0	155.0	5.0	0.045	0.000	0.045
											305.0	310.0	5.0	0.011	0.000	0.011
											565.0	570.0	5.0	0.056	0.000	0.056
GA10-344	DDH	1657376	20866454	5,906	1,005	0	-90	2010	Animas Resources		410.0	418.0	8.0	0.053	0.000	0.053
GA10-345	DDH	1658890	20865318	6,024	775	125	-70	2010	Animas Resources					No Significant Intercepts		
GA10-346	RC	1660741	20865530	6,109	800	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-347	RC	1661273	20865502	6,096	800	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-348	RC	1662155	20865500	6,093	800	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-349	RC	1655774	20870720	5,827	800	0	-90	2010	Animas Resources		540.0	545.0	5.0	0.320	0.000	0.032
GA10-350	RC	1655120	20869502	5,801	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-351	RC	1656293	20865980	5,879	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-352	RC	1653133	20864700	5,814	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA10-353	RC	1660931	20871452	5,932	900	0	-90	2010	Animas Resources					No Significant Intercepts		
GA12-354	RC	1657478	20870644	5,807	1025	0	-90	2012	Nevada Sunrise Gold Corp.		840.0	845.0	5.0	0.011	0.010	0.011
GA12-355	RC	1657224	20870818	5,797	835	0	-90	2012	Nevada Sunrise Gold Corp.		620.0	625.0	5.0	0.017	0.040	0.018
											630.0	635.0	5.0	0.016	0.020	0.016
											800.0	815.0	15.0	0.024	0.020	0.025
GA12-356	RC	1656753	20871374	5,779	985	0	-90	2012	Nevada Sunrise Gold Corp.		190.0	210.0	20.0	0.018	0.055	0.019
											305.0	310.0	5.0	0.004	0.530	0.012
											335.0	340.0	5.0	0.004	0.440	0.010
											345.0	350.0	5.0	0.009	3.000	0.130
											370.0	380.0	10.0	0.020	0.125	0.021
											560.0	565.0	5.0	0.017	0.120	0.019
GA12-357	RC	1655600	20871938	5,739	1000	0	-90	2012	Nevada Sunrise Gold Corp.		325.0	340.0	15.0	0.018	0.083	0.019
GA12-358	RC	1652272	20871742	5,640	625	0	-90	2012	Nevada Sunrise Gold Corp.					No Significant Intercepts		
GA12-359	RC	1657839	20871818	5,797	1015	0	-90	2012	Nevada Sunrise Gold Corp.		550.0	555.0	5.0	0.009	8.000	0.020
											620.0	630.0	10.0	0.006	0.470	0.012
											830.0	835.0	5.0	0.008	0.190	0.011

**Golden Arrow Property**  
**Significant Gold Equivalent Intercepts**  
**(AuEq. Grades greater than or equal to 0.01 opt)**

(Intercepts greater than 0.1 opt AuEq. highlighted in grey, gold equivalent grade based on 70:1 gold to silver price ratio)

Hole ID	Hole Type	Collar Easting (NAD83)	Collar Northing (NAD83)	Collar Elevation (feet)	Hole Length (feet)	Azimuth (degrees)	Inclination (degrees)	Year Drilled	Company	Resource Area	From (feet)	To (feet)	Intercept Length (feet)	Au (opt)	Ag (opt)	AuEq (opt)
GA12-360	RC	1659146	20870232	5,859	895	0	-90	2012	Nevada Sunrise Gold Corp.		415.0	420.0	5.0	0.007	0.395	0.012
											600.0	630.0	30.0	0.009	0.558	0.017
											640.0	655.0	15.0	0.018	0.093	0.020
											690.0	695.0	5.0	0.015	0.270	0.019
											750.0	755.0	5.0	0.012	0.290	0.016
GA12-361	RC	1657471	20870650	5,807	1095	312	-68	2012	Nevada Sunrise Gold Corp.		955.0	980.0	25.0	0.029	0.050	0.030
GA12-362	RC	1657234	20870812	5,797	1000	119	-60.5	2012	Nevada Sunrise Gold Corp.		835.0	845.0	10.0	0.073	NA	0.073
GA12-363	RC	1657091	20870582	5,799	1000	72	-60	2012	Nevada Sunrise Gold Corp.		315.0	330.0	15.0	0.016	0.167	0.018
											390.0	395.0	5.0	0.013	0.430	0.019
											410.0	415.0	5.0	0.008	0.200	0.011
GA12-364	RC	1656557	20871468	5,771	895	118	-70	2012	Intor Resources		255.0	260.0	5.0	0.009	0.070	0.010
											600.0	610.0	10.0	0.033	0.860	0.045
											720.0	730.0	10.0	0.011	0.110	0.013
GA12-365	RC	1659502	20870428	5,855	700	1	-45	2012	Nevada Sunrise Gold Corp.		No Significant Intercepts					
GA12-366	RC	1657925	20872274	5,789	820	60	-45	2012	Nevada Sunrise Gold Corp.		No Significant Intercepts					
GA12-367	RC	1658578	20871090	5,827	600	0	-90	2012	Nevada Sunrise Gold Corp.	HH	225.0	265.0	40.0	0.014	0.083	0.015
											290.0	370.0	80.0	0.046	0.575	0.054
											405.0	420.0	15.0	0.015	0.210	0.018
											475.0	490.0	15.0	0.008	0.267	0.012
											500.0	510.0	10.0	0.010	1.200	0.027
											525.0	530.0	5.0	0.012	0.360	0.017
											545.0	550.0	5.0	0.007	0.850	0.019
											560.0	570.0	10.0	0.007	0.465	0.014
585.0	590.0	5.0	0.032	0.520	0.039											
GA12-368	RC	1658913	20870906	5,833	865	0	-90	2012	Nevada Sunrise Gold Corp.	HH	615.0	620.0	5.0	0.026	0.220	0.029
											640.0	645.0	5.0	0.013	0.130	0.015
											735.0	740.0	5.0	0.009	0.090	0.010
GA12-369	RC	1656751	20871370	5,779	655	290	-65	2012	Nevada Sunrise Gold Corp.		335.0	355.0	20.0	0.023	0.090	0.025
											435.0	445.0	10.0	0.018	0.295	0.022
GA12-370	RC	1656759	20871378	5,779	655	149	-75	2012	Nevada Sunrise Gold Corp.		230.0	235.0	5.0	0.010	0.050	0.011
											255.0	260.0	5.0	0.017	0.050	0.018
											570.0	575.0	5.0	0.010	0.010	0.010
GA12-371	RC	1657068	20870568	5,799	695	157	-42	2012	Nevada Sunrise Gold Corp.		445.0	450.0	5.0	0.011	0.200	0.014
											470.0	475.0	5.0	0.012	1.050	0.027
											490.0	495.0	5.0	0.035	0.310	0.039
											520.0	525.0	5.0	0.024	1.120	0.040
											655.0	670.0	15.0	0.014	0.080	0.015

